


FRITSCHIANA

64



Veröffentlichungen aus dem
Institut für Pflanzenwissenschaften
der Karl-Franzens-Universität Graz

Josef HAFELLNER

**Additions and Corrections to the Checklist and
Bibliography of Lichens and Lichenicolous Fungi of
Insular Laurimacaronesia. IV.**

Graz, 18. Dezember 2008

Hofrat Prof. Dr. Karl FRITSCH
(* 24.2.1864 in Wien, † 17.1.1934 in Graz)

Karl FRITSCH studierte nach einem Jahr in Innsbruck an der Universität Wien Botanik und wurde dort 1886 zum Dr.phil. promoviert; 1890 habilitierte er sich. Nach Anstellungen in Wien wurde FRITSCH 1900 als Professor für Systematische Botanik an die Universität Graz berufen, wo er aus bescheidenen Anfängen ein Institut aufbaute. 1910 wurde er Direktor des Botanischen Gartens, 1916 wurde das neu errichtete Institutsgebäude bezogen. Aus der sehr breiten wissenschaftlichen Tätigkeit sind vor allem drei Schwerpunkte hervorzuheben: Floristisch-systematische Studien, besonders zur Flora von Österreich, monographische Arbeiten (besonders über *Gesneriaceae*) und Arbeiten zur systematischen Stellung und Gliederung der Monocotylen. An Kryptogamen interessierten ihn besonders Pilze und Myxomyceten.

Nachrufe: KNOLL F. 1934, Ber. Deutsch. Bot. Ges. 51: (157)–(184) (mit Schriftenverzeichnis). - KUBART B. 1935, Mitt. Naturwiss. Ver. Steiermark 71: 5–15 (mit Porträt). - TEPPNER H. 1997, Mitt. Geol. Paläont. Landesmus. Joanneum (Graz) 55: 133–136. - Im übrigen vgl. STAFLEU F.A. & COWAN R.S. 1976, Tax. Lit. 1: 892 und BARNHART J.H. 1965, Biogr. Notes Botanists 2: 12.

Graz, November 1997

H. TEPPNER

Die Serie FRITSCHIANA wurde als Publikationsorgan für die zahlreichen Aktivitäten im Zusammenhang mit der botanischen Sammlung des Institutes für Pflanzenwissenschaften, Bereich Systematische Botanik und Geobotanik (vormals Institut für Botanik), der Karl-Franzens-Universität Graz (GZU) gegründet. Vor allem Schedae-Hefte der von den Mitarbeitern herausgegebenen Exsiccatenwerke sollten hier erscheinen, aber auch Exkursionsberichte sowie Listen und Indices besonders wertvoller Bestände in GZU. Das Spektrum wurde mittlerweile auf floristische und kleinere taxonomische Arbeiten (zwischenzeitlich auch auf das Samentauschverzeichnis des Botanischen Gartens) ausgeweitet. Die Schedae-Hefte des von Prof. Dr. Josef POELT begründeten, inzwischen abgeschlossenen Exsiccatenwerkes *Plantae Graecenses* sind die Vorläufer dieser Schriftenreihe.

Gesamtredaktion:

Dr. Christian SCHEUER, Mag. Dr. Walter OBERMAYER
Karl-Franzens-Universität Graz, Institut für Pflanzenwissenschaften
Bereich Systematische Botanik und Geobotanik, Holteigasse 6
A-8010 Graz, Österreich/Austria

ISSN 1024-0306

Key title = Abbreviated title: *Fritschiana* (Graz)

Umschlagsbild: *Carolofritschia diandra* ENGL. (= *Acanthonema strigosum* HOOK.f.); nach einer Zeichnung in HUTCHINSON, J. & HEPPER, F.N. 1963, *Flora of West Tropical Africa*, Ed. 2, Vol. II: 382.

FRITSCHIANA

**Veröffentlichungen aus dem
Institut für Pflanzenwissenschaften
(Bereich Systematische Botanik und Geobotanik)
der Karl-Franzens-Universität Graz**

64

Josef HAFELLNER

**Additions and Corrections to the Checklist and
Bibliography of Lichens and Lichenicolous Fungi of
Insular Laurimacaronesia. IV.**

pp. 1–28

Graz, 18. Dezember 2008

In diesem Heft vorgeschlagene Neukombination (p 23):
New combination proposed in this issue (p 23):

Pseudosagedia leptospora (Nyl.) Hafellner combinatio nova

ISSN 1024-0306

Key title = Abbreviated title: Fritschiana (Graz)

© 2008 by the author. All rights reserved.

Date of publication: 18.XII.2008

Printed by: Druckerei Khil Ges.m.b.H., Neutorgasse 26, 8010 Graz, Austria

Additions and Corrections to the Checklist and Bibliography of Lichens and Lichenicolous Fungi of Insular Laurimacaronesia. IV.

Josef HAFELLNER

HAFELLNER J. 2008: Additions and corrections to the checklist and bibliography of lichens and lichenicolous fungi of insular Laurimacaronesia. IV. - *Fritschiana* 64: 1–28. – ISSN 1024-0306.

Abstract: Additional records of lichens and lichenicolous fungi for any one of the Laurimacaronesian archipelagos (Azores, Madeira group, Canary Islands) or the whole area are listed together with cross references to the original sources. Notes on several previously reported taxa are included. The new combination *Pseudosagedia leptospora* (Nyl.) Hafellner is proposed. This list is followed by additions to a lichenological bibliography for the area.

Zusammenfassung: In einer Liste werden weitere Nachweise von Flechten und lichenicolen Pilzen für einen der laurimakaronesischen Archipele (Azoren, Madeira, Kanarische Inseln) oder das gesamte Studiengebiet zusammen mit Kurzzitaten zu den Originalquellen zusammengestellt. Eingeschlossen sind Anmerkungen zu einigen früher gemeldeten Taxa. Die neue Kombination *Pseudosagedia leptospora* (Nyl.) Hafellner wird vorgeschlagen. Nachträge zur lichenologischen Bibliographie für das Gebiet bilden den zweiten Teil der Arbeit.

Josef Hafellner, Institut für Pflanzenwissenschaften, Karl-Franzens-Universität, Holteigasse 6, A-8010 Graz, Austria. E-mail: josef.hafellner@uni-graz.at.

Introduction

Since the publication of a new lichen checklist for the Laurimacaronesian area (HAFELLNER 1995), three sets of additions and corrections have been compiled (HAFELLNER 1999, 2002, 2005). Since the publication of the last set of updates in 2005, many additional records and a number of corrections to previously reported species have appeared in the literature. The present paper represents a compilation of these most recent species reports with cross references to their original bibliographic sources. As in the previous updates, complete data sets are given. However, in cases where full references to citations were already listed in the previously published bibliographies (such as 'TAVARES 1952'), these are not repeated here being traceable by consulting the previous issues.

The supplement to the bibliography contains not only publications in which additional taxa are recorded but also further references containing supplementary chorological data for previously reported taxa.

Since 2005, more than 170 additional lichen taxa and over 30 further lichenicolous fungi have been added to the list of taxa known in the “insular Laurimacaronesian” study area. and many species have been found on archipelagos on which they were not previously known. This clearly shows that the compilation of the checklist has fulfilled its purpose in encouraging lichenologists to search for additional taxa. The Azores in particular have recently received special attention with the publication of several major additions.

Furthermore, since the publication of “Additions III” various authors have prepared checklists for individual archipelagos of Macaronesia. The checklist for the Canary Islands (HERNÁNDEZ-PADRÓN 2004) is an updated version of a precursor published in 2001 and listed in “Additions III”, while those for the other archipelagos are completely new: the Azores (FLORES RODRIGUES & APTROOT 2005), the Cape Verde Islands (SÁNCHEZ-PINTO & RODRÍGUEZ 2005), and Madeira plus Selvagens (CARVALHO et al. 2008b). Checklist data are also available on the Internet. In addition to the datasets for each archipelago housed on the server in Hamburg (FEUERER 2008), a databank was recently launched for the Azores (GABRIEL 2008).

A new version of the checklist is in preparation which will again make it easier to check which taxa occur on which archipelago.

As in the past, colleagues are kindly asked and invited to send copies of hitherto overlooked articles containing data on lichens or lichenicolous fungi from insular Macaronesia to the author.

Additions and Corrections

Abrothallus cetrariae I.Kotte

Host: *Platismatia glauca* (1)

A: BERGER & PRIEMETZHOFFER 2008: 139 (1); M: KALB & HAFELLNER 1992: 47 (1); C: ETAYO 1996a: 94 (1)

Abrothallus chrysanthus Stein

Host: *Usnea rubicunda* (1)

A: BERGER & PRIEMETZHOFFER 2008: 139 (1); M: -; C: -

Abrothallus hypotrachynae Etayo & Diederich

Host: *Hypotrachyna endochlora* (1), not mentioned (2)

A: FLORES RODRIGUES & APTROOT 2005: 233 (2); M: -; C: ETAYO 1996a: 94 (1, sub *A. cf. microspermus*)

Absconditella pauxilla Vězda & Vivant

A: -; M: PIŠŮT 2004: 14; C: -

Acarospora fuscata (Nyl.) Arnold

A: APTROOT & RODRIGUES 2005a: 274; M: -; C: EGEA et al. 1987: 401

Acarospora lavicola J.Steiner

A: SCHUMM 2008: 4 (without locality); M: -; C: KLEMENT 1965: 558

Acarospora smaragdula (Wahlenb.) A.Massal.

A: APTROOT & RODRIGUES 2005a: 274; M: -; C: -

Acrocordia macrospora A.Massal.

A: APTROOT & RODRIGUES 2005a: 274; M: KALB & HAFELLNER 1992: 49; C: HAFELLNER 1996c: 134

Agonimia opuntiella (Poelt & Buschardt) Vězda

A: APTROOT & RODRIGUES 2005a: 274; M: -; C: -

- Agonimia papillata* (O.E.Erikss.) Diederich & Aptroot
A: APTROOT & RODRIGUES 2005b: 68; M: -; C: APTROOT & RODRIGUES 2005b: 68
- Ainoa mooreana* (Carroll) Lumbsch & I.Schmitt
A: APTROOT & RODRIGUES 2005a: 274; M: -; C: -
- Amandinea endachroa* (Malme) Marbach
A: BERGER & PRIEMETZHOFFER 2008: 129; M: -; C: -
- Amandinea lecideina* (H.Mayrhofer & Poelt) Scheid. & H.Mayrhofer
A: APTROOT & RODRIGUES 2005b: 68; M: -; C: -
- Amandinea polyspora* (Willey ex Tuck.) E.Lay & P.F.May
A: BERGER & PRIEMETZHOFFER 2008: 129; M: -; C: -
- Anaptychia elbursiana* (Szatala) Poelt
A: -; M: -; C: ESSLINGER 2007: 792
- Anema prodigulum* (Nyl.) Henssen
A: -; M: -; C: SCHULTZ & BOOM 2007: 114
- Anisomeridium polypori* (Ellis & Everh.) M.E.Barr (syn. *A. nyssigenum* (Ellis & Everhart) R.C. Harris)
A: APTROOT & RODRIGUES 2005a: 274; M: -; C: ETAYO 1996b: 150
- Arctomia delicatula* Th.Fr.
A: -; M: -; C: SCHULTZ & BOOM 2007: 115
- Arthonia albopulverea* Nyl. (syn. *Arthothelium crozalsianum* (de Lesd.) de Lesd.)
A: BERGER & APTROOT 2002: 2; M: -; C: BOOM & ETAYO 2006: 345
- Arthonia apatetica* (A.Massal) Th.Fr.
A: -; M: -; C: BOOM & ETAYO 2006: 345
- Arthonia caesiella* Nyl.
A: -; M: -; C: BOOM & ETAYO 2006: 345 (determination uncertain)
- Arthonia cretacea* Zahlbr.
A: BERGER & PRIEMETZHOFFER 2008: 129; M: -; C: -
- Arthonia excentrica* Th.Fr.
Host: *Lepraria* spec. (1)
A: -; M: -; C: HERNANDEZ PADRON et al. 2004: 300 (1)
- Arthonia ilicinella* Nyl.
A: APTROOT & RODRIGUES 2005b: 68; M: -; C: -
- Arthonia muscigena* Th.Fr.
A: APTROOT & RODRIGUES 2005b: 68; M: SERUSIAUX 1996: 220; C: HERNANDEZ PADRON et al. 2004: 260
- Arthonia pruinata* (Pers.) Steud. ex A.L.Sm. (syn. *A. impolita* (Hoffm.) Borrer)
A: APTROOT 1989: 59; M: -; C: BOOM 2007: 154
- Arthonia punctiformis* Ach.
A: BERGER & PRIEMETZHOFFER 2008: 129; M: -; C: HAFELLNER 1995b: 137
- Arthonia radiata* (Pers.) Ach.
A: SCHUMM 2008: 11 (without locality); BERGER & PRIEMETZHOFFER 2008: 129; M: KALB & HAFELLNER 1992: 51; C: TAVARES 1952: 356
- Arthonia spadicea* Leight.
A: APTROOT & RODRIGUES 2005a: 274; M: -; C: -
- Arthonia stellaris* Kremp.
A: APTROOT & RODRIGUES 2005b: 68; M: -; C: -
- Aspicilia calcarea* (L.) Mudd
A: APTROOT & RODRIGUES 2005a: 274; M: -; C: TAVARES 1952: 368
- Bacidia arceutina* (Ach.) Arnold
A: APTROOT & RODRIGUES 2005a: 274; M: TAVARES 1952: 363; C: TAVARES 1952: 363

- Bacidia caligans* (Nyl.) A.L.Sm.
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: -
- Bacidia canariensis* Erichsen
A: APTROOT & RODRIGUES 2005b: 68; M: -; C: TAVARES 1952: 363
- Bacidia subincompta* (Nyl.) Arnold (syn. *Bacidia affinis* (Stizenb.) Vain.)
A: -; M: TAVARES 1952: 363; C: BOOM & ETAYO 2006: 346
- Bacidia thyrrenica* Llop
A: -; M: -; C: LLOP et al. 2007: 447
- Bacidia viridifarinoso* Coppins & P.James
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: -
- Bacidina inundata* (Fr.) Vězda
A: BERGER & PRIEMETZHOFFER 2008: 129; M: -; C: -
- Biatora ocelliformis* (Nyl.) Arnold
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: -
- Biatorella flavella* (Nyl.) Lettau
A: BERGER & PRIEMETZHOFFER 2008: 129; M: -; C: TOPHAM & WALKER 1982: 62
- Buellia dives* (Th.Fr.) Th.Fr.
A: APTROOT & RODRIGUES 2005b: 68; M: -; C: -
- Buellia maritima* (A.Massal.) Bagl.
A: -; M: -; C: BOOM & ETAYO 2006: 346
Note: According to BOOM & ETAYO (2006) the species is not synonymous with *B. stellulata* and is accepted here als independent species.
- Buellia meiosperma* (Nyl.) Müll.Arg.
A: BERGER & PRIEMETZHOFFER 2008: 130; M: -; C: -
- Buellia tesserata* Körb. (syn. *B. cerussata* Llimona & Werner, *B. fimbriata* (Tuck.) Sheard)
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: SCHEIDEGGER 1991: 216 (map); EGEA & LLIMONA 1991: 187
- Calicium chlorosporum* F.Wilson
A: BERGER & PRIEMETZHOFFER 2008: 130; M: -; C: -
- Calicium glaucellum* Ach.
A: -; M: -; C: CRITTENDEN et al. 1995: 278
- Calopadia subcaerulescens* (Zahlbr.) Vězda
A: BERGER & PRIEMETZHOFFER 2008: 130; M: -; C: -
- Caloplaca aegatica* Giralt, Nimis & Poelt (syn. *C. aurantiaca* auct. pro parte)
A: -; M: GIRALT et al. 1992: 263; C: GIRALT et al. 1992: 263
Note: BOOM & ETAYO (2006) argue that the name might be a later synonym of *C. aurantiellina* Harmand.
- Caloplaca albolutescens* (Nyl.) H.Olivier
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: TAVARES 1952: 375
- Caloplaca alociza* (A.Massal.) Mig.
A: -; M: -; C: BOOM & ETAYO 2006: 346
- Caloplaca arcis* (Poelt & Vězda) Arup
A: -; M: -; C: VONDRAK et al. 2008: 13
- Caloplaca aurantia* (Pers.) Hellb.
A: TAVARES 1952: 375; M: -; C: BOOM & ETAYO 2006: 347
- Caloplaca canariensis* (Follmann & Poelt) Breuss (syn. *Fulgensia canariensis* Follmann & Poelt)
A: APTROOT & RODRIGUES 2005b: 68; M: KALB & HAFELLNER 1992: 65; C: FOLLMANN & POELT 1981: 370; FOLLMANN 1981b: 380

- Caloplaca cerina* (Ehrh.) Th.Fr. (var. *cerina*)
A: TAVARES 1952: 375; M: SCHUMM 2008: 19 (without locality); C: TAVARES 1952: 375 (incl. f. *fusca*)
- Caloplaca cerinella* (Nyl.) Flagey
A: -; M: -; C: BOOM 2007: 154
- Caloplaca conversa* (Kremp.) Jatta
A: APTROOT & RODRIGUES 2005a: 275; M: EGEA 1989b: 138; C: EGEA et al. 1987: 4
- Caloplaca coronata* (Kremp. ex Körb.) J.Steiner
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: -
- Caloplaca dalmatica* (A.Massal.) H.Olivier
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: -
- Caloplaca epitoninia* Breuss
Host: *Toninia aromatica* (1), *Toninia mesoidea* (2)
A: BERGER & PRIEMETZHOFFER 2008: 130 (2); M: -; C: BREUSS 1990b: 328 (1)
- Caloplaca flavocitrina* (Nyl.) H.Olivier
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: BOOM 2007: 156
- Caloplaca flavorubescens* (Huds.) J.R.Laundon (syn. *C. aurantiaca* (Lightf.) Th. Fr.)
A: FLORES RODRIGUES & APTROOT 2005: 234; M: TAVARES 1952: 375; C: TAVARES 1952: 375 (doubtful records, cfr. GIRALT et al. 1992, records may refer to *C. aegatica*)
- Caloplaca flavovirescens* (Wulfen) Dalla Torre & Sarnth.
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: TAVARES 1952: 376
- Caloplaca fuerteventurae* P.Boom & Etayo
A: -; M: -; C: BOOM & ETAYO 2006: 347
- Caloplaca lactea* (A.Massal.) Zahlbr.
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: TAVARES 1952: 376 (incl. f. *rubescens*)
- Caloplaca lithophila* H.Magn.
A: -; M: -; C: BOOM & ETAYO 2006: 349
- Caloplaca microthallina* (Wedd.) Zahlbr.
A: BERGER & PRIEMETZHOFFER 2008: 131; M: -; C: -
- Caloplaca obscurella* (J.Lahm ex Körb.) Th.Fr.
A: -; M: -; C: BOOM 2007: 156
- Caloplaca ruderum* (Malbr.) J.R.Laundon
A: BERGER & PRIEMETZHOFFER 2008: 131; M: -; C: -
- Caloplaca schoeferi* Poelt
A: -; M: -; C: HERNANDEZ PADRON et al. 2004: 264
- Caloplaca scopularis* (Nyl.) Lettau
A: BERGER & PRIEMETZHOFFER 2008: 131; M: -; C: -
- Caloplaca thallincola* (Wedd.) Du Rietz
A: SCHUMM 2008: 24 (without locality); M: -; C: -
- Candelaria concolor* (Dicks.) Stein
A: APTROOT & RODRIGUES 2005a: 275; M: -; C: ØSTHAGEN & KROG 1976: 223
- Candelaria crawfordii* (Müll.Arg.) M.Jørg. & D.Galloway
A: -; M: PIŠÚT 2004: 15; C: HAFELLNER 1996c: 135
- Canoparmelia caroliniana* (Nyl.) Elix & Hale (syn. *Pyxine azorea* Nyl.)
A: TAVARES 1952: 378; M: -; C: HAWKSWORTH et al. 2008: 6
- Canoparmelia amabilis* Heiman & Elix
A: SCHUMM 2008: 26 (without locality); M: -; C: -

- Canoparmelia crozalsiana* (de Lesd.) Elix et al. (syn. *Pseudoparmelia crozalsiana* (de Lesd.) Hale)
A: APTROOT & RODRIGUES 2005a: 275; M: ARVIDSSON & WALL 1985: 46; C: TAVARES 1952: 370
- Carbonea vorticosa* (Flörke) Hertel
A: BERGER & PRIEMETZHOFFER 2008: 131; M: -; C: -
- Catillaria atomarioides* (Müll.Arg.) Kilius
A: BERGER & APTROOT 2002: 4; M: KALB & HAFELLNER 1992: 60; C: BOOM 2007: 156
- Catillaria lenticularis* subsp. *azorica* F.Berger & Priemetzhofer
A: BERGER & PRIEMETZHOFFER 2008: 131; M: -; C: -
- Cercidospora rinodinae* Etayo & P.Boom
Host: *Rinodina conradii* (1)
A: -; M: -; C: ETAYO & BOOM 2005: 158 (1)
- Cetrelia cetrarioides* (Del. ex Duby) W.L.Culb. & C.F.Culb.
A: -; M: OBERMAYER 2007a: 2; OBERMAYER & MAYRHOFER 2007: 251; C: CHAMPION & SANCHEZ-PINTO 1978: 23
- Cetrelia olivetorum* (Nyl.) W.L.Culb. & C.F.Culb.
A: TAVARES 1952: 370; M: OBERMAYER & MAYRHOFER 2007: 269; C: TAVARES 1952: 370
- Chaenotheca brunneola* (Ach.) Müll.Arg.
A: BERGER & PRIEMETZHOFFER 2008: 132; M: KALB & HAFELLNER 1992: 61; C: TOPHAM & WALKER 1982: 63
- Chaenothecopsis viridireagens* (Nádv.) A.F.W.Schmidt
A: -; M: -; C: TITOV 2006: 192
- Chrysothrix chlorina* (Ach.) J.R.Laundon
A: APTROOT & RODRIGUES 2005a: 275; M: FOLLMANN 1990: 100; C: HERNANDEZ PADRON et al. 1980: 203
- Chrysothrix xanthina* (Vain.) Kalb
A: -; M: -; C: KALB 2001: 144
- Cladonia bacillaris* (Ach.) Nyl.
A: BERGER & PRIEMETZHOFFER 2008: 132; M: -; C: ØSTHAGEN & KROG 1976: 223
- Cladonia cariosa* (Ach.) Spreng.
A: APTROOT & RODRIGUES 2005a: 276; M: TAVARES 1952: 364; C: TAVARES 1952: 364
- Cladonia fimbriata* (L.) Fr.
A: PURVIS et al. 1998: 340; M: TAVARES 1952: 364 (incl. var. *simplex*); C: TAVARES 1952: 364 (incl. var. *simplex* and f. *exilis*)
- Cladonia grayi* G.Merr. ex Sandst.
A: BERGER & PRIEMETZHOFFER 2008: 132; M: -; C: -
- Cladonia ramulosa* (With.) J.R.Laundon (syn. *Cladonia pityrea* (Flörke) Fr.)
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: TAVARES 1952: 365 (incl. f. *scyphifera*)
- Clauzadea immersa* (Hoffm.) Hafellner & Bellem.
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: -
- Clauzadea metzleri* (Körb.) Clauzade & Cl.Roux ex D.Hawksw.
A: -; M: -; C: BOOM & ETAYO 2006: 350
- Clauzadea monticola* (Schaer.) Hafellner & Bellem. (syn. *Lecidea monticola* Schaer., *Protoblastenia monticola* (Schaer.) J.Steiner)
A: -; M: TAVARES 1952: 365; C: BOOM & ETAYO 2006: 350

- Cliostomum flavidulum* Hafellner & Kalb (syn. *Lecanora navarrensis* Etayo)
A: APTROOT & RODRIGUES 2005b: 68; M: KALB & HAFELLNER 1992: 61; C: ETAYO 1996b: 154 (sub *Lecanora navarrensis*)
- Cliostomum tenerum* (Nyl.) Coppins & S.Ekman
A: BERGER & PRIEMETZHOFFER 2008: 132; M: -; C: -
- Collema bachmannianum* (Fink) Degel.
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: -
- Collema coccophorum* Tuck.
A: -; M: -; C: SCHULTZ & BOOM 2007: 115
- Collema crispum* (L.) Weber ex F.H.Wigg.
A: APTROOT & RODRIGUES 2005b: 68; M: TAVARES 1952: 359; C: CHAMPION 1976: 27
- Collema nigrescens* (Huds.) DC. (syn. *Collema vespertilio* (Lightf.) Hoffm.)
A: PURVIS et al. 1998: 341; M: TAVARES 1952: 359; C: TAVARES 1952: 359
- Collema tenax* var. *ceranoides* (Borrer) Degel.
A: -; M: -; C: DEGELIUS 1954: 150
- Coscinocladium gaditanum* (Clemente) A.Crespo et al. (syn. *Lecanora lisbonensis* Samp.)
A: APTROOT & RODRIGUES 2005a: 276; M: TAVARES 1958b: 229; C: -
- Cryptothecia subtectata* Stirt.
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: -
- Dactylospora lobariella* (Nyl.) Hafellner
Host: *Lobaria meridionalis* (1), *Lobaria pulmonaria* (2)
A: BERGER & PRIEMETZHOFFER 2008: 140 (2); M: -; C: HAWKSWORTH 1982b: 83 (1)
- Dactylospora parellaria* (Nyl.) Arnold
Host: *Ochrolechia parella* (1), *Ochrolechia* spec. (1), *Pertusaria* spec. (3)
A: BERGER & PRIEMETZHOFFER 2008: 140 (1); M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 301 (2, 3)
- Degelia atlantica* (Degel.) M.Jørg. & P.James (syn. *Parmeliella atlantica* Degel.)
A: TAVARES 1952: 359; M: TAVARES 1952: 359; C: HERNÁNDEZ-PADRÓN 2004: 68
- Dermatocarpon luridum* (With.) J.R.Laundon (syn. *Dermatocarpon weberi* (Ach.) W.Mann, *Dermatocarpon fluviatile* (Weber) Th.Fr.)
A: BERGER & PRIEMETZHOFFER 2008: 132; M: TAVARES 1952: 355; C: -
Note: Determination of specimen from the Azores uncertain.
- Dimelaena californica* (H.Magn.) Sheard
A: -; M: -; C: BOOM & ETAYO 2006: 351
- Dimelaena radiata* (Tuck.) Hale & W.L.Culb. (syn. *Rinodina radiata* Tuck.)
A: APTROOT & RODRIGUES 2005b: 68; M: LLIMONA & WERNER 1975: 22; C: TAVARES 1952: 378
- Dimerella frederici* Kalb
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: -
- Diploschistes muscorum* (Scop.) R.Sant. (syn. *Diploschistes bryophilus* (Ach.) Zahlbr.)
A: APTROOT 1989: 61; M: PIŠÚT 2004: 15; C: TAVARES 1952: 358
- Diplotomma ambiguum* (Ach.) Flagey (syn. *Buellia ambigua* (Ach.) Malme)
A: ARVIDSSON 1990: 17; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 270
- Dirina massiliensis* Durieu & Mont. (syn. *Dirina repanda* Fr.)
A: FLORES RODRIGUES & APTROOT 2005: 237; M: -; C: TAVARES 1952: 357
- Dirina sorediata* Müll.Arg. (syn. *D. massiliensis* f. *sorediata* (Müll.Arg.) Tehler)
A: FLORES RODRIGUES & APTROOT 2005: 237; M: EGEA 1989b: 138; C: HERNANDEZ PADRON et al. 1987a: 190; EGEA et al. 1987: 42

- Dirina stenhammari* (Fr. ex Stenh.) Poelt & Follmann
A: BERGER & PRIEMETZHOFFER 2008: 133; M: -; C: FOLLMANN 1993: 178, 183 (map), 190
- Endocarpon loscosii* Müll.Arg.
A: -; M: -; C: BOOM & ETAYO 2006: 352
- Endocarpon pallidum* Ach.
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: -
- Endococcus brachysporus* (Zopf) M.Brand & Diederich
Host: *Porpidia soredizodes* (1)
A: BERGER & PRIEMETZHOFFER 2008: 140 (1); M: -; C: -
- Endococcus verrucosus* Hafellner
Host: *Aspicilia calcarea* (1)
A: -; M: -; C: BOOM & ETAYO 2006: 352 (1)
- Erioderma mollissimum* (Samp.) Du Rietz
A: PURVIS et al. 1998: 341; M: TAVARES 1952: 360; C: TAVARES 1952: 360
- Farnoldia jurana* (Schaer.) Hertel
A: -; M: -; C: BOOM & ETAYO 2006: 353
- Fellhaneropsis vezdae* (Coppins & P.James) Sérus. & Coppins (syn. *Fellhanera vezdae* (Coppins & P.James) V.Wirth)
A: APTROOT & RODRIGUES 2005a: 276; M: KALB & HAFELLNER 1992: 64; C: TOPHAM & WALKER 1982: 62
- Fissurina dumastii* Fée
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: -
- Flavoparmelia soredians* (Nyl.) Hale
A: TAVARES 1952: 371; M: SCHUMM 2008: 47 (without locality); C: KLEMENT 1965: 566
- Fuscidea arboricola* Coppins & Tønsberg
A: PURVIS et al. 1998: 341; M: -; C: -
- Gelatinopsis roccellae* Etayo, Paz-Bermúdez & Diederich
Host: *Roccella* spec. (1)
A: -; M: -; C: BOOM & ETAYO 2006: 353 (1)
- Gyalecta canariensis* P.Boom & Vězda
A: -; M: -; C: BOOM & VÉZDA 2005: 255
- Halecania ralfsii* (Salwey) M.Mayrhofer
A: BERGER & PRIEMETZHOFFER 2008: 133; M: -; C: -
- Helocarpon pulverulum* Th.Fr.
A: BERGER & PRIEMETZHOFFER 2008: 133; M: -; C: -
- Heppia arenacea* M.Schultz
A: -; M: -; C: SCHULTZ & BOOM 2007: 116
- Heppia conchiloba* Tuck.
A: -; M: -; C: SCHULTZ & BOOM 2007: 117
- Heppia echinulata* Marton & Galun
A: -; M: -; C: SCHULTZ & BOOM 2007: 117
- Herteliana taylorii* (Salwey) P.James
A: HAWKSWORTH 1992b: 270; M: HAWKSWORTH 1992a: 270; C: BOOM 2007: 158
- Heterodermia flabellata* (Fée) D.D.Awasthi
A: APTROOT & RODRIGUES 2005a: 276; M: -; C: -
- Heterodermia galactophylla* (Tuck.) W.L.Culb.
A: SCHUMM 2008:59 (without locality); M: -; C: -

Heterodermia propagulifera (Vain.) J.P.Dey

A: SCHUMM 2008: 66 (without locality); M: KALB & HAFELLNER 1992: 67; C: -

Note: According to SCHUMM (2008) *Heterodermia propagulifera* is not conspecific with *H. japonica*.

Heteroplacidium contumescens (Nyl.) Breuss

A: -; M: -; C: BOOM & ETAYO 2006: 353

Heteroplacidium fusculum (Nyl.) Gueidan & Cl.Roux (syn. *Verrucaria fuscula* Nyl.)

Host: *Aspicilia calcarea* (1)

A: -; M: - C: BOOM & ETAYO 2006: 371 (1)

Heteroplacidium phaeocarpoides (Nyl.) Breuss

A: -; M: -; C: BOOM & ETAYO 2006: 353

Homostegia piggotii (Berk. & Broome) P.Karst. (?syn. *Phaeospora fritzei* Stein)

Hosts: *Parmelia saxatilis* (1), *Parmelia omphalodes* (2)

A: BERGER & PRIEMETZHOFFER 2008: 141 (1); M: STEIN 1883: 233 (?as *Phaeospora fritzei*) (1); KALB & HAFELLNER 1992: 67 (1, 2); C: HAFELLNER 1996b: 3 (1)

Hypocenomyce anthracophila (Nyl.) P.James & Gotth.Schneid.

A: APTROOT & RODRIGUES 2005a: 277; M: -; C: -

Hypogymnia maderensis (Tav.) D.Hawksw.

A: -; M: TAVARES 1952: 347; C: SCHUMM 2008: 72 (without locality)

Hypotrachyna microblasta (Vain.) Hale

A: APTROOT 1989: 62; M: -; C: HAWKSWORTH et al. 2008: 7

Hypotrachyna pulvinata (Fée) Hale

A: APTROOT 1989: 62; M: ELIX & SCHUMM 2003: 387; C: HAWKSWORTH et al. 2008: 7

Hypotrachyna rachista (Hale) Hale (syn. *Parmelia lobulifera* var. *sanguineoreagens* Degel.)

A: HAWKSWORTH et al. 2008: 7; M: TAVARES 1952: 371; C: -

Note: HAWKSWORTH et al. (2008) accepted *Hypotrachyna rachista* as independent species. *Hypotrachyna prolongata* (Kurok.) Hale will be deleted in the next version of the checklist.

Ionaspis ceracea (Arnold) Hafellner & Türk

A: BERGER & PRIEMETZHOFFER 2008: 133; M: -; C: -

Ionaspis lacustris (With.) Lutzoni (syn. *Hymenelia lacustris* (With.) M.Choisy)

A: APTROOT & RODRIGUES 2005a: 277; M: KALB & HAFELLNER 1992: 68; C: -

Ionaspis aff. *lavata* H.Magn.

A: -; M: -; C: BOOM 2007: 158

Intralichen lichenicola (M.S.Christ. & D.Hawksw.) D.Hawksw. & M.S.Cole

Host: *Candelariella aurella* (1)

A: -; M: -; C: BOOM & ETAYO 2006: 353 (1)

Lambinonia strigulae (Elenkin & Woron.) Sérus. & Diederich

Host: *Strigula nitidula* (1)

A: -; M: -; C: SÉRUSIAUX & DIEDERICH 2005: 500 (1)

Lecanactis canariensis P.Boom & Etayo

A: -; M: -; C: BOOM & ETAYO 2006: 353

Lecania atrynoides M.Knowles

A: APTROOT & RODRIGUES 2005a: 277; M: -; C: -

Lecania cuprea (A.Massal.) P.Boom & Coppins

A: APTROOT & RODRIGUES 2005a: 277; M: -; C: -

Lecania hutchinsiae (Ach.) A.L.Sm.

A: APTROOT & RODRIGUES 2005b: 68; M: -; C: BERGER & ETAYO 1998: 85

- Lecania inundata* (Hepp ex Körb.) M.Mayrhofer
A: BERGER & PRIEMETZHOFFER 2008: 133; M: -; C: BOOM 2007: 159
- Lecania naegelii* (Hepp) Diederich & P.Boom (syn. *Bacidia naegelii* (Hepp) Zahlbr.)
A: APTROOT & RODRIGUES 2005a: 277; M: -; C: TOPHAM & WALKER 1982: 61
- Lecania poeltii* P.Boom, Alonso & Egea
A: -; M: -; C: BOOM & ETAYO 2006: 355
- Lecania turicensis* (Hepp) Müll.Arg.
A: -; M: -; C: BOOM & ETAYO 2006: 355
- Lecanographa subgrumulosa* (Egea et al.) Egea & Torrente
A: APTROOT & RODRIGUES 2005a: 277; M: -; C: -
- Lecanora argentata* (Ach.) Malme
A: APTROOT & RODRIGUES 2005a: 277; M: -; C: ETAYO 1998: 94
- Lecanora campestris* (Schaer.) Hue
A: APTROOT & RODRIGUES 2005a: 277; M: TAVARES 1952: 368; C: TAVARES 1952: 368
- Lecanora carpinea* (L.) Vain.
A: APTROOT & RODRIGUES 2005a: 277; M: -; C: HAFELLNER 1995c: 494
- Lecanora cenisia* Ach. (syn. *L. atrynea*)
A: APTROOT & RODRIGUES 2005b: 68; M: -; C: TAVARES 1952: 368
- Lecanora chlarotera* Nyl.
A: PURVIS et al. 1998: 341; LOPEZ DE SILANES & PAZ BERMUDEZ 2003: 78; M: TAVARES 1952: 368; C: TAVARES 1952: 368
- Lecanora confusa* Almb.
A: PURVIS et al. 1998: 341; M: FOLLMANN 1990: 100; C: CHAMPION 1976: 28
- Lecanora galactiniza* Nyl.
A: -; M: -; C: BOOM & ETAYO 2006: 357
- Lecanora gangaleoides* Nyl.
A: BERGER & PRIEMETZHOFFER 2008: 134; M: TAVARES 1952: 368; C: TAVARES 1952: 368
- Lecanora hagenii* (Ach.) Ach.
A: APTROOT & RODRIGUES 2005b: 69; M: -; C: BOOM & ETAYO 2006: 358
- Lecanora hybocarpa* (Tuck.) Brodo
A: APTROOT & RODRIGUES 2005a: 277; M: -; C: BOOM & ETAYO 2006: 358
- Lecanora intumescens* (Rebent.) Rabenh.
A: APTROOT & RODRIGUES 2005a: 277; M: KALB & HAFELLNER 1992: 69; C: -
- Lecanora jamesii* J.R.Laundon
A: PURVIS et al. 1998: 341; M: KALB & HAFELLNER 1992: 69; C: CHAMPION 1976: 28
- Lecanora leprosa* Fée
A: APTROOT & RODRIGUES 2005b: 69; M: TAVARES 1952: 369; C: TAVARES 1952: 369
- Lecanora orosthea* (Ach.) Ach.
A: APTROOT & RODRIGUES 2005b: 69; M: -; C: CHAMPION 1976: 28
- Lecanora pannonica* Szatala
A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 273
- Lecanora pulicaris* (Pers.) Ach. (syn. *Lecanora chlarona* (Ach.) Nyl.)
A: APTROOT & RODRIGUES 2005b: 69; M: TAVARES 1952: 368; C: TAVARES 1952: 368
- Lecanora schistina* (Nyl.) Arnold (syn. *Lecanora praepostera* Nyl.)
A: BERGER & PRIEMETZHOFFER 2008: 134; M: EGEE 1989b: 138; C: TAVARES 1952: 369

Lecanora strobilina (Spreng.) Kieff.

A: APTROOT & RODRIGUES 2005b: 69; M: GIRALT & GOMEZ-BOLEA 1991: 111; C: ETAYO 1998: 94

Lecanora subrugosa Nyl.

A: BERGER & PRIEMETZHOFFER 2008: 134; M: -; C: KLEMENT 1965: 562

Lecanora sulphurella Hepp (syn. *Lecanora luteola*)

A: APTROOT & RODRIGUES 2005a: 277; M: TAVARES 1952: 369; C: TAVARES 1952: 369

Lecidea phaeops Nyl.

A: HAWKSWORTH & COPPINS 1992: 333; M: -; C: CRITTENDEN et al. 1995: 284

Lecidea swartzioidea Nyl.

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 274

Lempholemma botryosum (A.Massal.) Zahlbr.

A: -; M: -; C: BOOM 2007: 159

Lempholemma polyanthes (Berh.) Malme

A: -; M: -; C: HERNANDEZ PADRON et al. 2004: 274

Lepraria borealis Lohtander & Tønsberg

A: -; M: -; C: KUKWA 2006: 294

Lepraria isidiata (Llimona) Llimona & A.Crespo

A: APTROOT & RODRIGUES 2005a: 278; M: -; C: -

Lepraria santosii Arguello & A.Crespo

A: -; M: -; C: CRESPO et al. 2006: 218

Leptogium biatorinum (Nyl.) Leight.

A: -; M: -; C: SCHULTZ & BOOM 2007: 118

Leptogium intermedium (Ach.) Ach.

A: -; M: PIŠÚT 2004: 15; C: BERGER & ETAYO 1998: 75

Leptogium subaridum M.Jørg. & Goward

A: -; M: -; C: BOOM 2007: 159

Leptogium teretiusculum (Flörke) Arnold

A: APTROOT & RODRIGUES 2005b: 69; M: -; C: HERNANDEZ PADRON et al. 1980: 204

Lichenodiplis lecanorae (Vouaux) Dyko & D.Hawksw. (syn. *Diplodina lecanorae* Vouaux)

Host: *Caloplaca cerina* (1), *Caloplaca* spec. (2), *Pertusaria hymeneae* (3), *Lecanora* spec. (4), not mentioned (5)

A: BERGER & APTROOT 2002: 9 (3) identification uncertain, FLORES RODRIGUES & APTROOT 2005: 239 (5), BERGER & PRIEMETZHOFFER 2008: 140 (4); M: KALB & HAFELLNER 1992: 70 (2); C: PITARD & HARMAND 1911: 69 (1)

Lichenosticta alcicornaria (Linds.) D.Hawksw.

Host: *Cladonia fimbriata* (1), *Cladonia stereoclada* (2)

A: BERGER & PRIEMETZHOFFER 2008: 140 (2); M: KALB & HAFELLNER 1992: 71 (1); C: -

Lichenostigma canariense Etayo & P.Boom (as "*L. canariensis*")

Host: *Aspicilia calcarea* (1)

A: -; M: - C: BOOM & ETAYO 2006: 359 (1)

Lichenostigma cosmopolites Hafellner & Calatayud

Host: *Xanthoparmelia somloensis* (1), *Xanthoparmelia tinctina* (2), *Xanthoparmelia conspersa* (3)

A: BERGER & PRIEMETZHOFFER 2008: 141 (3); M: - C: HAFELLNER & CALATAYUD 1999: 108 (1, 2)

- Lichenostigma episulphurella* Etayo & P.Boom
Host: *Lecanora sulphurella* (1)
A: -; M: - C: BOOM & ETAYO 2006: 360 (1)
- Lichenostigma rugosa* G.Thor
Host: *Diploschistes scruposus* (1)
A: BERGER & PRIEMETZHOFFER 2008: 141 (1); M: -; C: SANTESSON 1994a: 14 (1)
- Lichenostigma semiimmersa* Hafellner
Host: *Buellia zoharyi* (1)
A: -; M: - C: BOOM & ETAYO 2006: 362 (1)
- Megalospora tuberculosa* (Fée) Sipman
A: TAVARES 1952: 375; M: SCHUMM 2008: 100 (without locality); C: -
- Melanohalea subelegantula* (Essl.) O.Blanco et al. (syn. *Melanelia subelegantula* (Essl.) Essl.)
A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 278
- Menegazzia terebrata* (Hoffm.) A.Massal. (syn. *Menegazzia pertusa* (Schrank) Stein)
A: PURVIS 1992h: 371; M: TAVARES 1952: 370; C: HAWKSWORTH et al. 2008: 9
- Micarea adnata* Coppins
A: APTROOT & RODRIGUES 2005a: 278; M: COPPINS 1992d: 375; C: -
- Micarea misella* (Nyl.) Hedl.
A: BERGER & PRIEMETZHOFFER 2008: 134; M: -; C: -
- Micarea synotheoides* (Nyl.) Coppins
A: PURVIS et al. 1998: 342; M: KALB & HAFELLNER 1992: 73; C: TOPHAM & WALKER 1982: 67
- Micarea xanthonica* Coppins & Tønsberg
A: APTROOT & RODRIGUES 2005a: 278; M: -; C: -
- Muellerella atricola* (Linds.) Sacc. & D.Sacc.
Host: *Tephromela atra* (1)
A: -; M: HAFELLNER 2007a: 108 (1) C: -
- Muellerella erratica* (A.Massal.) Hafellner & V.John (?syn. *Muellerella pygmaea* var. *athallina* (Müll. Arg.) Triebel)
Host: *Aspicilia* spec. (1)
A: -; M: - C: BOOM & ETAYO 2006: 363 (1)
- Muellerella lichenicola* (Sommerf.) D.Hawksw.
Host: sterile corticolous(!) thallus (1), not mentioned (2)
A: FLORES RODRIGUES & APTROOT 2005: 240 (2); M: -; C: PITARD & HARMAND 1911: 71 (1) (doubtful)
- Muellerella pygmaea* (Körb.) D.Hawksw.
Hosts: *Bellemeria alpina* (1), *Lecanora intricata* (2), *Lecidea fuscoatra* (3), *Lecidea fuscoatra* var. *grisella* (4), *Lecidea* spec. (5) *Rhizocarpon lavatum* (6), *Rinodina* spec. (7)
A: BERGER & PRIEMETZHOFFER 2008: 141 (7); M: KALB & HAFELLNER 1992: 74 (1, 2, 4, 5, 6); C: TRIEBEL 1989: 161 (3)
- Mycocomrothelia atlantica* D.Hawksw. & Coppins
A: BERGER & PRIEMETZHOFFER 2008: 134; M: -; C: -
- Naetrocymbe punctiformis* (Pers.) R.C.Harris (syn. *Arthopyrenia punctiformis* (Pers.) A.Massal.)
A: APTROOT & RODRIGUES 2005a: 274; M: -; C: TAVARES 1952: 355
- Nephroma tangeriense* (Maheu & A.Gillet) Zahlbr.
A: BERGER & PRIEMETZHOFFER 2008: 134; M: JAMES & WHITE 1987: 261; C: JAMES & WHITE 1987: 261

Nigromacula hypotrachynae EtayoHost: *Hypotrachyna microblasta* (1)

A: BERGER & PRIEMETZHOFFER 2008: 141 (1); M: -; C: SANTESSON 1994a: 14 (1)

Ochrolechia alboflavescens (Wulfen) Zahlbr.

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 280

Ochrolechia androgyna (Hoffm.) Arnold

A: APTROOT & RODRIGUES 2005b: 69; M: TAVARES 1952: 369; C: ETAYO 1998: 98; BERGER & ETAYO 1998: 86

Ochrolechia anomala (Harm.) Verseghy

A: -; M: SCHUMM 2008: 126 (without locality); C: -

Ochrolechia inversa (Nyl.) J.R.Laundon

A: PURVIS et al. 1998: 342; M: -; C: CHAMPION 1976: 29

Opegrapha calcarea Sm. (syn. *Opegrapha chevallieri* Leight.)

A: APTROOT & RODRIGUES 2005b: 69; M: TAVARES 1952: 356; C: FOLLMANN & KLEMENT 1970: 825

Opegrapha herbarum Mont.

A: APTROOT & RODRIGUES 2005b: 69; M: -; C: GIL GONZALEZ ET AL. 1990: 108

Opegrapha multipuncta Coppins & P.James

A: APTROOT & RODRIGUES 2005b: 69; M: -; C: -

Opegrapha niveoatra (Borrer) J.R.Laundon (syn. *Opegrapha dubia* Leight. ex Arnold, *Opegrapha subsiderella* (Nyl.) Arnold)

A: APTROOT & RODRIGUES 2005b: 69; M: KALB & HAFELLNER 1992: 77; C: TAVARES 1952: 356

Opegrapha prosodea Ach. (syn. *Opegrapha taxicola* Leight.)

A: APTROOT & RODRIGUES 2005b: 69; M: TAVARES 1952: 357; C: -

Opegrapha rufescens Pers. (syn. *Opegrapha herpetica* (Ach.) Ach.)

A: APTROOT & RODRIGUES 2005a: 278, FLORES RODRIGUES & APTROOT 2005: 240; M: TAVARES 1952: 356; C: -

Opegrapha subelevata (Nyl.) Nyl.

A: -; M: EGEA 1989b: 95; C: HERNÁNDEZ PADRÓN et al. 2004: 281

Opegrapha submaritima HafellnerHost: *Tephromela atra* (1)

A: -; M: - C: HAFELLNER 2007a: 110 (1)

Opegrapha varia Pers. (syn. *Opegrapha diaphora* Ach., *Opegrapha lichenoides* Pers.)

A: APTROOT & RODRIGUES 2005b: 69; M: TAVARES 1952: 356, 357; C: TAVARES 1952: 356, 357

Pannaria tavaresii M.Jørg.

A: SCHUMM 2008: 137 (without locality); BERGER & PRIEMETZHOFFER 2008: 134; M: JØRGENSEN 1978: 68; C: JØRGENSEN 1978: 68

Paranectria oropensis (Cesati) D.Hawksw. & Piroz.Host: *Physconia subpulverulenta* (1), *Leprocaulon microscopicum* (2)

A: -; M: -; C: HERNANDEZ PADRON et al. 2004: 302 (1, 2)

Parmelina pastillifera (Harm.) Hale

A: -; M: -; C: HERNANDEZ PADRON et al. 2004: 281

Parmelinopsis cryptochlora (Vain.) Elix & Hale

A: APTROOT 1989: 63; M: -; C: HAWKSWORTH et al. 2008: 14

Parmelinopsis minarum (Vain.) Elix & Hale

A: PURVIS et al. 1998: 342; M: SCHUMM 2008: 141 (without locality); C: ETAYO 1998: 99

- Parmelinopsis subfatiscens* (Kurok.) Elix & Hale
A: SCHUMM 2008: 143; M: -; C: -
- Parmotrema bangii* (Vain.) Hale
A: RODRIGUES et al. 2004: 74; M: SCHUMM 2008: 147 (without locality); C: ØSTHAGEN & KROG 1976: 228
- Parmotrema nilgherrense* (Nyl.) Hale
A: -; M: -; C: SCHUMM 2008: 144 (without locality)
- Parmotrema subisidiosum* (Müll.Arg.) Hale (syn. *Rimelia subisidiosa* (Müll. Arg.) Hale & A. Fletcher)
A: ARVIDSSON 1990: 23; M: -; C: HAWKSWORTH et al. 2008: 15
- Peccania arabica* (Müll.Arg.) Henssen
A: -; M: -; C: SCHULTZ & BOOM 2007: 121
- Peccania fontqueriana* P. Moreno & Egea
A: -; M: -; C: SCHULTZ & BOOM 2007: 122
- Peccania teretiuscula* (Flagey) Henssen
A: -; M: -; C: SCHULTZ & BOOM 2007: 123
- Peltula bolanderi* (Tuck.) Wetmore
A: -; M: -; C: SCHULTZ & BOOM 2007: 123
- Peltula farinosa* Büdel
A: -; M: -; C: SCHULTZ & BOOM 2007: 124
- Peltula obscurans* (Nyl.) Gyeln. var. *deserticola* (Zahlbr.) Wetmore
A: -; M: -; C: SCHULTZ & BOOM 2007: 124
- Peltula obscurans* (Nyl.) Gyeln. var. *hassei* (Zahlbr.) Wetmore
A: -; M: -; C: SCHULTZ & BOOM 2007: 124
- Peltula obscuratula* (Nyl.) Poelt ex Egea
A: -; M: -; C: SCHULTZ & BOOM 2007: 126
- Peltula radicata* Nyl.
A: -; M: -; C: SCHULTZ & BOOM 2007: 126
- Peltula rodriguesii* (Cromb.) Büdel
A: -; M: -; C: SCHULTZ & BOOM 2007: 127
- Pertusaria amarescens* Nyl.
A: APTROOT & RODRIGUES 2005b: 69; M: -; C: KLEMENT 1965: 559
- Pertusaria dispar* J. Steiner
A: SCHUMM 2008: 159 (without locality); M: -; C: BREUSS 1988: 838
- Pertusaria flavicans* Lamy
A: APTROOT & RODRIGUES 2005a: 278; M: -; C: HERNANDEZ PADRON et al. 2004: 284
- Pertusaria flavocorallina* Coppins & Muhr
A: BERGER & PRIEMETZHOFFER 2008: 134; M: -; C: -
- Pertusaria hemisphaerica* (Flörke) Erichsen
A: -; M: KALB & HAFELLNER 1992: 78; C: CRITTENDEN et al. 1995: 289
- Pertusaria heterochroa* (Müll.Arg.) Erichsen
A: BERGER & PRIEMETZHOFFER 2008: 135; M: KALB & HAFELLNER 1992: 79; C: HANKO 1983: 85
- Pertusaria lactea* (L.) Arnold
A: APTROOT & RODRIGUES 2005b: 70; M: -; C: -
- Pertusaria leioplaca* DC.
A: APTROOT & RODRIGUES 2005a: 278; M: TAVARES 1952: 367; C: TAVARES 1952: 367
- Pertusaria maximiliana* Klem.
A: PURVIS et al. 1998: 342; M: KALB & HAFELLNER 1992: 79; C: -

Pertusaria melanochoa (DC.) Nyl.

A: BERGER & PRIEMETZHOFFER 2008: 135; M: -; C: -

Pertusaria pertusa (Weigel) Tuck.

A: TAVARES 1952: 367; M: PIŠŮT 2004: 16; C: TAVARES 1952: 367

Pertusaria pupillaris (Nyl.) Th.Fr.

A: BERGER & PRIEMETZHOFFER 2008: 135; M: -; C: TOPHAM & WALKER 1982: 70

Pertusaria slesvicensis Erichsen

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 285

Peterjamesia circumscripta (Taylor) D.Hawksw. (syn. *Sclerophyton circumscriptum* (Taylor) Zahlbr., *Sclerophytomyces circumscriptus* (Taylor) Sparrius & P.James var. *circumscriptus*)

A: TAVARES 1958b: 225; M: EGEA 1989b: 138; C: TAVARES 1952: 357 (incl. f. *pruinsum*)

Note: *Sclerophyton circumscriptum* (Taylor) Zahlbr. has recently been transferred to the genus *Sclerophytomyces* by SPARRIUS (2004), but HAWKSWORTH (Lichenologist 38: 189, 2006) has shown, that this generic name cannot be used and therefore described a new genus.

Peterjamesia soreliata (Sparrius, P.James & M.A.Allen) D.Hawksw. (syn. *Sclerophytomyces circumscriptus* var. *soreliatus* Sparrius, P.James & M.A.Allen)

A: -; M: -; C: SPARRIUS et al. 2005: 285

Phacopsis vulpina Tul.

Host: *Letharia vulpina* (1)

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 302 (1)

Phaeocalicium interruptum (Nyl.) Tibell

A: -; M: TITOV 2006: 217; C: -

Phaeographis smithii (Leight.) de Lesd.

A: APTROOT & RODRIGUES 2005b: 70; M: KALB & HAFELLNER 1992: 79; C: -

Phaeophyscia endophoenicea (Harm.) Moberg

A: APTROOT & RODRIGUES 2005a: 278; M: -; C: -

Phaeospora rimosicola (Leight. ex Mudd) Hepp

Host: *Rhizocarpon obscuratum* (1)

A: BERGER & PRIEMETZHOFFER 2008: 141 (1); M: -; C: -

Phaeosporobolus alpinus R.Sant., Alstrup & D.Hawksw.

Host: *Pertusaria albescens* (1)

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 302 (1)

Phaeosporobolus usneae D.Hawksw. & Hafellner

Host: *Lethariella intricata* (1), *Usnea subscabrosa* (2)

A: BERGER & PRIEMETZHOFFER 2008: 141 (2); M: -; C: HAWKSWORTH & HAFELLNER 1986: 526 (1)

Phloeopeccania pulvinulina J.Steiner

A: -; M: -; C: SCHULTZ & BOOM 2007: 127

Phlyctis argena (Spreng.) Flot.

A: APTROOT & RODRIGUES 2005b: 70; M: -; C: HAFELLNER 1995c: 495

Phoma dubia (Linds.) Sacc. & A.Trotter

Host: *Usnea esperantiana* (1)

A: BERGER & PRIEMETZHOFFER 2008: 141 (1); M: -; C: -

Phoma peltigerae (P.Karst.) D.Hawksw.

Host: *Peltigera spec.* (1)

A: -; M: -; C: HERNANDEZ PADRON et al. 2004: 303 (1)

Phylloblastia inexpectata Sérus., Coppins & Lücking

A: -; M: SERUSIAUX et al. 2007b: 104; C: -

Phyllopsora breviuscula (Nyl.) Müll.Arg.

A: APTROOT & RODRIGUES 2005a: 278; M: -; C: -

Physcia dimidiata (Arnold) Nyl.

A: APTROOT & RODRIGUES 2005a: 278; M: KALB & HAFELLNER 1992: 81; C: TAVARES 1952: 378

Physcia tribacia (Ach.) Nyl.

A: APTROOT & RODRIGUES 2005a: 278; M: ARVIDSSON & WALL 1985: 46; C: TAVARES 1952: 379

Physconia thorstenii A.Crespo & Divakar

A: -; M: -; C: DIVAKAR et al. 2007: 1315

Placidium squamulosum (Ach.) Breuss (syn. *Catapyrenium squamulosum* (Ach.) Breuss)

A: APTROOT & RODRIGUES 2005b: 70; M: -; C: BREUSS 1990a: 114

Placidium tenellum (Breuss) Breuss (syn. *Catapyrenium tenellum* Breuss)

A: BERGER & PRIEMETZHOFFER 2008: 135; M: -; C: BREUSS 1996: 532

Placopyrenium bucekii (Nádv. & Servít) Breuss

A: BERGER & PRIEMETZHOFFER 2008: 135; M: -; C: BREUSS 1987: 182

Placynthiella dasaea (Stirt.) Tønsberg

A: APTROOT & RODRIGUES 2005a: 278; M: -; C: BOOM 2007: 161

Placynthiella icmalea (Ach.) Coppins & P.James

A: PURVIS et al. 1998: 340; M: -; C: HERNANDEZ PADRON et al. 1992: 147

Placynthium tremniacum (A.Massal.) Jatta

A: BERGER & PRIEMETZHOFFER 2008: 135; M: -; C: HAFELLNER 1995a: 431

Polycoccum microsticticum (Leight.) Arnold

Host: *Acarospora* spec. (1)

A: -; M: -; C: ETAYO & BOOM 2005: 160 (1)

Polycoccum squamarioides (Mudd) Arnold (syn. *Discothecium squamarioides* (Mudd) Keissl.)

Host: *Pertusaria multipuncta* (1), *Placopsis gelida* (2), not mentioned (3)

A: BERGER & PRIEMETZHOFFER 2008: 141 (2); M: -; C: PITARD & HARMAND 1911: 71 (3)

Note: The host (1) of the specimen cited by PITARD & HARMAND (l. c.) was mentioned by RONDON (1969: 739).

Porina ahlesiana (Körb.) Zahlbr.

A: APTROOT & RODRIGUES 2005a: 278; M: -; C: -

Porina atlantica (Erichsen) M.Jørg.

A: FLORES RODRIGUES & APTROOT 2005: 242; M: -; C: ERICHSEN 1926: 276

Note: According to SÉRUSIAUX et al. (2007a: 16) earlier records of *Porina guaranitica* auct. europ. p. p., *P. heterospora* auct. europ. p. p., *P. mastoidea* auct. europ. p. p., *P. nucula* auct. europ. p. p., from Macaronesia refer to either *P. atlantica* or the newly described *P. effilata*. Furthermore *P. isidiata*, based on a type from Madeira, is reduced to synonymy under *P. atlantica*. All of these species names will therefore be deleted from the next version of the checklist.

Porina effilata M.Brand & Sérus.

A: -; M: SERUSIAUX et al. 2007a: 24; C: SERUSIAUX et al. 2007a: 24

Porina ocoteae M.Brand & Sérus.

A: SERUSIAUX et al. 2007a: 28; M: -; C: SERUSIAUX et al. 2007a: 28

Porpidia contraponenda (Arnold) Knoph & Hertel

A: APTROOT & RODRIGUES 2005a: 278; M: -; C: -

Porpidia platycarpoides (Bagl.) Hertel

A: PURVIS et al. 1994: 39; M: -; C: BOOM 2007: 161

- Porpidia soledizodes* (Lamy ex Nyl.) J.R.Laundon
A: BERGER & PRIEMETZHOFFER 2008: 137; M: -; C: -
- Porpidia tuberculosa* (Sm.) Hertel & Knoph
A: APTROOT & RODRIGUES 2005a: 279; M: KALB & HAFELLNER 1992: 84; C: -
- Protoparmelia hypotremella* Herk, Spier & V.Wirth
A: -; M: -; C: BOOM 2007: 161
- Protoparmelia ochrococca* (Nyl.) M.Jørg.
A: -; M: -; C: HERNANDEZ PADRON et al. 2004: 290
- Protoparmeliopsis muralis* (Schreb.) M.Choisy (syn. *Lecanora muralis* (Schreb.) Rabenh.)
A: APTROOT & RODRIGUES 2005a: 277; M: TAVARES 1952: 369; C: TAVARES 1952: 369
- Protothelenella santessonii* H.Mayrhofer
Host: *Cladonia* spec. (1)
A: BERGER & PRIEMETZHOFFER 2008: 141 (1); M: -; C: -
- Pseudosagedia guentheri* (Flot.) Hafellner & Kalb (syn. *Porina guentheri* (Flot.) Zahlbr.)
A: APTROOT & RODRIGUES 2005a: 278; M: -; C: HAFELLNER 1996c: 139
- Pseudosagedia leptospora* (Nyl.) Hafellner (syn. *Porina leptospora* (Nyl.) A.L.Sm.)
A: SÉRUSIAUX et al. 2007a: 27; M: -; C: SÉRUSIAUX et al. 2007a: 27
- Psilolechia lucida* (Ach.) M.Choisy
A: BERGER & PRIEMETZHOFFER 2008: 135; M: ARVIDSSON & WALL 1985: 47; C: TOPHAM & WALKER 1982: 72
- Psoroglaena stigonemoides* (Orange) Henssen (syn. *Macentina stigonemoides* Orange, *Leucocarpia stigonemoides* (Orange) Hafellner & Kalb)
A: APTROOT & RODRIGUES 2005a: 278; M: KALB & HAFELLNER 1992: 70; C: ETAYO 1998: 102
- Psorotichia hassei* Fink
A: -; M: -; C: SCHULTZ & BOOM 2007: 128
- Psorula rufonigra* (Tuck.) Gotth.Schneid.
Host: *Spilonema revertens* (1)
A: -; M: -; C: SCHULTZ & BOOM 2007: 131 (1)
- Punctelia jeckeri* (Roum.) Kalb (syn. *Punctelia ulophylla* (Ach.) Herk & Aptroot
A: -; M: -; C: HAWKSWORTH et al. 2008: 15
- Pyrenopsis conferta* (Born.) Nyl.
A: -; M: -; C: SCHULTZ & BOOM 2007: 130
- Pyrenopsis sanguinea* Anzi
A: BERGER & PRIEMETZHOFFER 2008: 135; M: -; C: -
- Pyrenopsis subareolata* Nyl.
A: -; M: -; C: SCHULTZ & BOOM 2007: 130
Note: According to SCHULTZ & BOOM (2007) the earlier record of *Pyrenopsis rhodosticta* most likely belongs here. The later species belongs to *Cryptothele* and is not known with certainty from Macaronesia. It will therefore be deleted from the next version of the checklist.
- Pyrenopsis triptococca* Nyl.
A: BERGER & PRIEMETZHOFFER 2008: 135; M: -; C: EGEA et al. 1987: 44
- Pyrenula acutispora* Kalb & Hafellner (syn. *Pyrenula kakouettae* Sérus. & Diederich)
A: BERGER & APTROOT 2002: 7; M: KALB & HAFELLNER 1992: 84; C: SÉRUSIAUX & COPPINS 2008: 522

Pyrenula laevigata (Pers.) Arnold

A: BERGER & PRIEMETZHOFFER 2008: 135; M: KALB & HAFELLNER 1992: 85; C: BREUSS 1988: 840

Pyrrhospora querneae (Dicks.) Körb. (syn. *Lecidea qu.*)

A: RODRIGUES et al. 2004: 74; M: -; C: TAVARES 1952: 362

Pyxine subcinerea Stirt.

A: RODRIGUES et al. 2004: 74; M: ARVIDSSON & WALL 1985: 47; C: ØSTHAGEN & KROG 1976: 236

Ramalina azorica Aptroot & Schumm

A: APTROOT & SCHUMM 2008: 24; M: -; C: -

Ramalina canariensis J.Steiner

A: TAVARES 1952: 372; M: APTROOT & SCHUMM 2008: 26; C: TAVARES 1952: 372

Ramalina capitata (Ach.) Nyl.

A: -; M: APTROOT & SCHUMM 2008: 27; C: CHAMPION 1976: 30 (included in *R. polymorpha* by KROG & ØSTHAGEN 1980b)

Ramalina chondrina J.Steiner (syn. *Alectoria glauca* Bystrek)

A: APTROOT & SCHUMM 2008: 29; M: TAVARES 1952: 372; C: ØSTHAGEN & KROG 1976: 234

Ramalina crispatula Despr. ex Nyl. (syn. *Ramalina bourgeana* f. *sublaevigata* Nyl., *Ramalina pollinaria* var. *phycoides* Mont.)

A: BERGER & PRIEMETZHOFFER 2008: 136; M: TAVARES 1952: 372; C: TAVARES 1952: 372

Ramalina cupularis Krog & P.James

A: APTROOT & SCHUMM 2008: 32; M: APTROOT & SCHUMM 2008: 32; C: KROG & ØSTHAGEN 1980b: 269

Ramalina deminuta Krog & Østh.

A: APTROOT & SCHUMM 2008: 28; M: -; C: KROG & ØSTHAGEN 1980b: 271

Ramalina implectens Nyl.

A: RODRIGUES et al. 2004: 74; M: -; C: TAVARES 1952: 373

Ramalina lusitanica H.Magn.

A: APTROOT & RODRIGUES 2005b: 70; M: -; C: [CHAMPION 1976: 30]

Note: According to KROG & ØSTHAGEN (1980b) the specimen cited by CHAMPION (l. c.) belongs to *R. mollis*.

Ramalina mollis Krog & Østh.

A: BERGER & PRIEMETZHOFFER 2008: 136; M: -; C: ØSTHAGEN & KROG 1976: 234

Ramalina peruviana Ach.

A: APTROOT 1989: 64; M: APTROOT & SCHUMM 2008: 27; C: APTROOT & SCHUMM 2008: 27

Ramalina rubrotincta Krog & Østh.

A: -; M: -; C: KROG & ØSTHAGEN 1978: 57

Ramalina siliquosa (Huds.) A.L.Sm.

A: TAVARES 1952: 373 (incl. var. *incrassata*), BERGER & PRIEMETZHOFFER 2008: 136; M: TAVARES 1952: 373 (incl. f. *tenuis*); C: TAVARES 1952: 373 (incl. var. *cornuata*, var. *incrassata*, var. *spinulosa* and var. *subulata*)

Note: According to BERGER & PRIEMETZHOFFER (2008) citing KROG & ØSTHAGEN (1980) as primary source for this information, older records of *R. siliquosa* are doubtful. Only the presence of the species on the Azores is so far confirmed.

Ramalina subwebbiana Nyl.

A: -; M: -; C: NYLANDER 1870: 158, APTROOT & SCHUMM 2008: 31

Note: According to APTROOT & SCHUMM (2008) *R. subwebbiana* is not a synonym of *R. decipiens* but a distinguishable taxon.

Ramalina wirthii Aptroot & Schumm

A: APTROOT & SCHUMM 2008: 25; M: -; C: -

Ramboldia lusitanica (Räsänen) Kalb, Lumbsch & Elix (syn. *Pyrrhospora lusitanica* (Räsänen) Hafellner, *Protoblastenia lusitanica* Räsänen)

A: PURVIS et al. 1998: 343; M: KALB & HAFELLNER 1992: 86; C: HERNANDEZ PADRON et al. 1980: 207

Ramonia subsphaeroides (Tav.) Vězda

A: -; M: -; C: BOOM 2007: 162

Rhizocarpon badioatrum (Flörke ex Spreng.) Th.Fr.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: TAVARES 1952: 364 (incl. var. *atroalbum*)

Rhizocarpon infernulum (Nyl.) Lyngé

A: BERGER & PRIEMETZHOFFER 2008: 136; M: -; C: -

Rhizocarpon postumum (Nyl.) Arnold

A: BERGER & PRIEMETZHOFFER 2008: 137; M: -; C: -

Rhizocarpon umbilicatum (Ramond) Flagey

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: -

Rinodina canariensis Matzer, H.Mayrhofer & P.Clerc

A: BERGER & PRIEMETZHOFFER 2008: 137; M: MATZER et al. 1994: 105; C: MATZER et al. 1994: 105

Rinodina colobinoides (Nyl.) Zahlbr.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: -

Rinodina confragosa (Ach.) Körb.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: TAVARES 1952: 378

Rinodina ericina (Nyl.) Giralt (syn. *Buellia ericina* Nyl., *Rinodina madeirensis* Kalb & Hafellner)

A: APTROOT & RODRIGUES 2005a: 279; M: KALB & HAFELLNER 1992: 87; C: TOPHAM & WALKER 1982: 62

Rinodina exigua (Ach.) Gray

A: APTROOT & RODRIGUES 2005a: 279; M: TAVARES 1952: 378; C: NARANJO & SANTOS 1982: 54; TOPHAM & WALKER 1982: 73

Note: According to GIRALT & MAYRHOFER (1994: 134) the records of *R. exigua* from the Canary Islands may refer to *R. capensis*.

Rinodina mniaraea (Ach.) Körb.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: -

Rinodina oxydata (A.Massal.) A.Massal.

A: BERGER & PRIEMETZHOFFER 2008: 137; M: EGEA 1989b: 138; C: TAVARES 1952: 378

Rinodina septentrionalis Malme

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 294

Roselliniella africana Diederich

Host: *Usnea* spec. (1)

A: BERGER & PRIEMETZHOFFER 2008: 142 (1); M: -; C: -

Sarcogyne regularis Körb.

A: BERGER & PRIEMETZHOFFER 2008: 137; M: -; C: HAFELLNER 1995c: 498

Schismatomma decolorans (Turner & Borrer ex Sm.) Clauzade & Vězda

A: PURVIS et al. 1998: 343; M: TEHLER 1993: 18; C: CHAMPION 1976: 30

Sclerococcum tephromelarum Etayo & Calatayud

Host: *Tephromela atra* (1)

A: -; M: HAFELLNER 2007a: 113 (1); C: HAFELLNER 2002b: 14(1)

Scoliciosporum umbrinum (Ach.) Arnold

A: PURVIS et al. 1998: 343; M: KALB & HAFELLNER 1992: 89; C: HAFELLNER 1996c: 142

Scutula stereocaulorum (Anzi) Körb. (syn. *Catillaria stereocaulorum* (Th.Fr.) H.Olivier)

Hosts: *Stereocaulon vesuvianum* (1), *Stereocaulon azoricum* (2), *Stereocaulon* spec. (3)

A: BERGER & PRIEMETZHOFFER 2008: 140 (2); M: KALB & HAFELLNER 1992: 89 (3); C: HAFELLNER 1995c: 498 (1)

Skyttea thelotrematis Diederich & Etayo

Host: *Thelotrema lepadinum* (1)

A: BERGER & PRIEMETZHOFFER 2008: 142 (1); M: -; C: -

Sphaerellothecium parietarium (Linds.) Hafellner & V.John

Host: *Xanthoria parietina* (1), *Xanthoria calcicola* (2)

A: -; M: -; C: HAFELLNER & JOHN 2006: 157 (1, 2)

Squamarina cartilaginea (With.) P.James (syn. *Lecanora crassa* (Huds.) Ach.)

A: APTROOT & RODRIGUES 2005a: 279; M: TAVARES 1952: 368 (incl. var. *caespitosa*, var. *liparia* and var. *platyloba*); C: TAVARES 1952: 368 (incl. var. *caespitosa*, var. *nitiduscula* and var. *platyloba*)

Squamarina concrescens (Müll.Arg.) Poelt

A: -; M: PIŠÚT 2004: 16; C: FOLLMANN & HERNANDEZ PADRÓN 1978: 365

Stereocaulon nanodes Tuck.

A: BERGER & PRIEMETZHOFFER 2008: 137; M: -; C: -

Stereocaulon vulcani (Bory) Ach.

A: FLORES RODRIGUES & APTROOT 2005: 245; M: -; C: -

Stigmidium rivulorum (de Lesd.) Cl.Roux & Triebel

Hosts: *Verrucaria hydrela* (1)

A: BERGER & PRIEMETZHOFFER 2008: 142 (1); M: -; C: -

Stigmidium squamariae (de Lesd.) Cl.Roux & Triebel

Hosts: *Rhizoplaca peltata* (1)

A: -; M: -; C: ROUX & TRIEBEL 2005: 136 (1)

Stigmidium triebelae Etayo

Host: *Rimelia reticulata* (1)

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 303 (1)

Strigula tagananae (Harm.) R.C.Harris (syn. *Polyblastiopsis tagananae* (Harm.) Zahlbr., *Strigula lateralis* Aptroot & P.Boom)

A: BERGER & PRIEMETZHOFFER 2008: 137; M: ROUX & SÉRUSIAUX 2004: 81; C: TAVARES 1952: 355; ETAYO 1996b: 158

Syzygospora bachmannii Diederich & M.S.Christ.

Host: *Cladonia* spec.

A: BERGER & APTROOT 2002: 10 (1); M: DIEDERICH 1996: 30; C: HERNÁNDEZ PADRÓN et al. 2004: 303 (1)

Taeniolella diderichiana Etayo & Calatayud

Host: *Placopsis gelida* (1)

A: -; M: -; C: ETAYO & CALATAYUD 2005: 303 (1)

Thelenella inductula (Nyl.) H.Mayrhofer

A: BERGER & PRIEMETZHOFFER 2008: 137; M: -; C: MAYRHOFFER 1987: 38

Thelenella melanospora Etayo & H.Mayrhofer

A: -; M: -; C: BOOM & ETAYO 2006: 369

Thelidium pluvium Orange

A: BERGER & PRIEMETZHOFFER 2008: 138; M: -; C: -

- Thelidium pyrenophorum* (Ach.) Mudd
A: APTROOT & RODRIGUES 2005b: 70; M: -; C: -
- Thyrea plicatissima* (Nyl.) Zahlbr.
A: -; M: -; C: SCHULTZ & BOOM 2007: 131
- Toninia episema* (Nyl.) Timdal
Host: *Aspicilia calcarea* (1), *Aspicilia* spec. (2)
A: -; M: -; C: HAFELLNER 2006: 35 (2); BOOM & ETAYO 2006: 370 (1)
- Toninia ruginosa* (Tuck.) Herre
A: BERGER & PRIEMETZHOFFER 2008: 138; M: -; C: TIMDAL 1991: 89
- Toninia squalida* (Ach.) A.Massal.
A: BERGER & PRIEMETZHOFFER 2008: 138; M: TIMDAL 1991: 97; C: TAVARES 1952: 363
- Topeliopsis azorica* (P.James & Purvis) Coppins & Aptroot (syn. *Ramonia azorica* P.James & Purvis)
A: PURVIS & JAMES 1993: 11; M: -; C: -
Note: According to COPPINS & APTROOT (2008) *Ramonia azorica* belongs to the genus *Topeliopsis*. The genus *Ramonia* s.str. remains therefore unrecorded from Laurimacaronesia but *Topeliopsis* becomes a new generic record.
- Trapelia placodioides* Coppins & P.James
A: APTROOT & RODRIGUES 2005a: 279; M: -; C: -
- Trapeliopsis pseudogranulosa* Coppins & P.James
A: PURVIS et al. 1998: 343; M: ALSTRUP 1991: 108; C: HERNANDEZ PADRON et al. 1992: 148
- Tremella parmeliarum* Diederich
Host: *Parmotrema reticulatum* (1), *Parmotrema subsidiosum* (2)
A: BERGER & PRIEMETZHOFFER 2008: 142 (1, 2); M: -; C: HAFELLNER 2002b: 16 (1)
- Tremella ramalinae* Diederich
Host: *Ramalina lacera* (1)
A: -; M: - C: BOOM & ETAYO 2006: 371 (1)
- Trichonectria pertusariae* Etayo & P.Boom
Host: *Pertusaria ophthalmiza* (1), *Pertusaria slesvicensis* (2)
A: -; M: -; C: ETAYO & BOOM 2005: 160 (1, 2)
- Usnea dasaea* Stirt. (syn. *Usnea dolosa* Motyka)
A: RODRIGUES et al. 2004: 74; M: STIRTON 1881: 104; C: KLEMENT 1965: 573
- Usnea esperantiana* P.Clerc
A: RODRIGUES et al. 2004: 74; M: -; C: CLERC 1992: 514, 519
- Usnea geissleriana* P.Clerc
A: CLERC 2006: 197; M: -; C: CLERC 2006: 197
- Usnea krogiana* P.Clerc
A: CLERC 2006: 199; M: -; C: CLERC 2006: 199
- Usnea macaronesica* P.Clerc
A: CLERC 2006: 202; M: -; C: CLERC 2006: 202
- Usnea silesiaca* Motyka (syn. *Usnea madeirensis* Motyka)
A: CLERC 2006: 206; M: TAVARES 1964: 136; C: KLEMENT 1965: 573
- Usnea subflammea* P.Clerc
A: CLERC 2006: 206; M: -; C: CLERC 2006: 206
- Usnea wasmuthii* Räsänen
A: -; M: -; C: BOOM 2007: 163
- Vahliella atlantica* (M.Jørg. & P.James) M.Jørg. (syn. *Fuscopannaria atlantica* M.Jørg. & P.James)
A: JØRGENSEN 2005: 221; M: -; C: SCHUMM 2008: 51 (without locality)

Note: According to JØRGENSEN (2008) some of the species previously classified in *Fuscopannaria* belong to a different clade for which the generic name *Vahliella* was introduced. Besides *V. atlantica* (not to be confused with *Degelia atlantica!*), one further pannarioid lichen, *Fuscopannaria leucophaea*, known from all three Laurimacaronesian archipelagos, was transferred to *Vahliella*.

Vahliella leucophaea (Vahl) M.Jørg. (syn. *Pannaria leucophaea* (Vahl) M.Jørg., *Fuscopannaria leucophaea* (Vahl) M.Jørg., *Parmeliella microphylla* (Sw.) Müll. Arg.)

A: TAVARES 1952: 359; M: TAVARES 1952: 359; C: PURVIS 1992k: 420 ("Macaronesia") but so far not known with certainty from this archipelago.

Verrucaria furfuracea (de Lesd.) Breuss

A: BERGER & PRIEMETZHOFFER 2008: 138; M: -; C: -

Verrucaria hydrela Ach.

A: APTROOT & RODRIGUES 2005b: 70; M: -; C: -

Verrucaria lecideoides (A.Massal.) Trevis.

A: BERGER & PRIEMETZHOFFER 2008: 138; M: -; C: EGEA et al. 1987: 45

Verrucaria macrostoma DC.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: BERGER & ETAYO 1998: 83

Verrucaria maura Wahlenb.

A: BERGER & PRIEMETZHOFFER 2008: 138; M: -; C: TOPHAM & WALKER 1982: 74 (determination uncertain)

Verrucaria muralis Ach.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: -

Verrucaria pinguicula A.Massal.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: -

Verrucaria viridula (Schrad.) Ach.

A: APTROOT & RODRIGUES 2005a: 279; M: -; C: HERNANDEZ PADRÓN & SANCHEZ-PINTO 1987: 330

Verrucula latericola (Erichsen) Nav.-Ros. & Cl.Roux (syn. *Verrucaria latericola* Erichsen)

A: BERGER & PRIEMETZHOFFER 2008: 138; M: -; C: -

Vouauxiella verrucosa (Vouaux) Petr. & Syd.

Host: *Lecanora horiza* (1), *Lecanora campestris* (2)

A: BERGER & PRIEMETZHOFFER 2008: 142 (2); M: -; C: HAFELLNER 1996b: 9 (1)

Waynea adscendens V.J.Rico

A: APTROOT & RODRIGUES 2005b: 70; M: -; C: -

Xanthoparmelia perezdepazii Pérez-Vargas, Hern.-Padr. & Elix

A: -; M: -; C: PEREZ-VARGAS et al. 2007: 445

Xanthoparmelia glabrans (Nyl.) O.Blanco et al. (syn. *Neofuscelia glabrans* (Nyl.) Essl.)

A: -; M: SCHUMM 2008: 112 (without locality); C: TAVARES 1952: 370

Note: According to molecular data obtained by BLANCO et al. (Taxon 53: 959–975, 2004), *Neofuscelia* has to be merged with *Xanthoparmelia*. Therefore all species previously listed under *Neofuscelia* will be transferred to *Xanthoparmelia* in the next version of the checklist.

Xanthoparmelia halei (Essl. et al.) O.Blanco et al. (syn. *Neofuscelia halei* Essl., M. Barbero & Llimona)

A: -; M: SCHUMM 2008: 113 (without locality); C: ESSLINGER et al. 1993: 355

Note: According to molecular data obtained by BLANCO et al. (Taxon 53: 959–975, 2004), *Neofuscelia* has to be merged with *Xanthoparmelia*. Therefore all species previously listed under *Neofuscelia* will be transferred to *Xanthoparmelia* in the next version of the checklist.

Xanthoparmelia subramigera (Gyeln.) Hale

A: BERGER & PRIEMETZHOFFER 2008: 139; M: ELIX & SCHUMM 2003: 387; C: GYELNIK 1934: 153

Xanthoparmelia tinctina (Maheu & A.Gillet) Hale (syn. *Parmelia conspersa* var. *isidiosa* Nyl.)

A: BERGER & PRIEMETZHOFFER 2008: 139; M: ALSTRUP 1991: 108; C: TAVARES 1952: 370

Xanthoparmelia verruculifera (Nyl.) O.Blanco et al. (syn. *Neofuscelia verruculifera* (Nyl.) Essl.)

A: SCHUMM 2008: 118 (without locality); BERGER & PRIEMETZHOFFER 2008: 139; M: -; C: TOPHAM & WALKER 1982: 69

Note: According to molecular data obtained by BLANCO et al. (Taxon 53: 959–975, 2004), *Neofuscelia* has to be merged with *Xanthoparmelia*. Therefore all species previously listed under *Neofuscelia* will be transferred to *Xanthoparmelia* in the next version of the checklist.

Xanthoria ectaneoides (Nyl.) Zahlbr.

A: FLORES RODRIGUES & APTROOT 2005: [246]; M: LAUNDON 1992: 647; C: -

Xanthoria mediterranea Giralt, Nimis & Poelt

A: -; M: -; C: HERNÁNDEZ PADRÓN et al. 2004: 299

Xanthoria monofoliola S.Kondr. & Kärnefelt

A: -; M: -; C: KONDRATYUK et al. 2008: 275

Nomenclatural novelties:***Pseudosagedia leptospora*** (Nyl.) Hafellner combinatio nova

MB 512682

Bas.: *Verrucaria leptospora* Nyl., Flora 47: 487 (1864).

Syn.: *Porina leptospora* (Nyl.) A.L.Sm., *Porina olivacea* var. *leptospora* (Nyl.) Keissl., *Porina borreeri* var. *leptospora* (Nyl.) D.Hawksw.

Acknowledgements

The author gratefully acknowledges the additions and corrections forwarded to him by Dr. C. Hernández-Padrón and Dr. A. Aptroot. Several colleagues have supported the compilation of the checklist and the bibliography by sending reprints of publications. Dipl.-Biol. T. Spribille kindly revised the English text.

Forth supplement to the lichenological bibliography for insular Laurimacaronesia

APTROOT, A. & RODRIGUES, A. F. 2005a: New lichen records for the Azores, with the report of some tropical species new to Europe. – *Cryptogamie, Mycol.* 26: 273–280.

APTROOT, A. & RODRIGUES, A. F. 2005b: Additions to the Azorean lichen flora. – *Arquipélago. Life and Marine Sciences* 22A: 67–71.

APTROOT, A. & SCHUMM, F. 2008: Key to *Ramalina* species known from Atlantic islands, with two new species from the Azores. – In: *Facetten der Flechtenforschung. Festschrift zu Ehren von Volkmar Wirth.* Sauteria 15: 21–57, Annex II.

ARGÜELLO, A., CRESPO, A. & HAWKSWORTH, D. L. 2007: Neo- and epitypifications to fix the application of the names *Parmelina carporrhizans* and *P. quercina*. – *Lichenologist* 39: 397–399.

- BERGER, F. & PRIEMETZHOFFER, F. 2008: Neufunde und interessante Nachweise von Flechten und flechtenbewohnenden Pilzen von den Azoren. – *Herzogia* 21: 125–146.
- BLAHA, J., BALOCH, E. & GRUBE, M. 2006: High photobiont diversity associated with the euryoecious lichen-forming ascomycete *Lecanora rupicola* (Lecanoraceae, Ascomycota). – *Biol. J. Linn. Soc.* 88: 283–293.
- BOOM, P. P. G. v. d. 2007: New and interesting lichenized and lichenicolous fungi from the Canary Island La Palma. – *Ann. Naturhist. Mus. Wien* 108 B: 153–166.
- BOOM, P. P. G. v. d. & ETAYO, J. 2006: New records of lichens and lichenicolous fungi from Fuerteventura (Canary Islands), with descriptions of some new species. – *Cryptogamie, Mycol.* 27: 341–374.
- BOOM, P. P. G. v. d. & VĚZDA, A. 2005: *Gyalecta canariensis* sp. nov., a new lichen (Ascomycota) from La Palma (Canary Islands). – *Mycotaxon* 92: 255–258.
- CARBALLAL, R., PAZ-BERMÚDEZ, G. & VÁLCARCEL, C. P. 2007: The genera *Coccocarpia* (Coccocarpiaceae, Ascomycota), *Degelia* and *Erioderma* (Pannariaceae, Ascomycota), in the Iberian Peninsula. – *Nova Hedwigia* 85: 51–62.
- CARVALHO, P., FIGUEIRA, R. & JONES, M. P. 2008a: Os líquenes e fungos liquenícolas (Fungi) dos arquipélagos da Madeira e Selvagens [The lichens and lichenicolous fungi (Fungi) of the Madeira and Selvagens archipelagos]. – In: BORGES, P. A. V., ABREU, C., AGUIAR, A. M. F., CARVALHO, P., FONTINHA, S., JARDIM, R., MELO, I., OLIVEIRA, P., SEQUEIRA, M. M., SÉRGIO, C., SERRANO, A. R. M., SIM-SIM, M. & VIEIRA, P., Listagem dos fungos, flora e fauna terrestres dos arquipélagos da Madeira e Selvagens [A list of the terrestrial fungi, flora and fauna of Madeira and Selvagens archipelagos]. p. 95–103. Funchal, Angra do Heroísmo: Direcção Regional do Ambiente da Madeira and Universidade dos Açores.
- CARVALHO, P., FIGUEIRA, R. & JONES, M. P. 2008b: Lista dos líquenes e fungos liquenícolas (Fungi) [List of lichens and lichenicolous fungi (Fungi)]. – In: BORGES, P. A. V., ABREU, C., AGUIAR, A. M. F., CARVALHO, P., FONTINHA, S., JARDIM, R., MELO, I., OLIVEIRA, P., SEQUEIRA, M. M., SÉRGIO, C., SERRANO, A. R. M., SIM-SIM, M. & VIEIRA, P., Listagem dos fungos, flora e fauna terrestres dos arquipélagos da Madeira e Selvagens [A list of the terrestrial fungi, flora and fauna of Madeira and Selvagens archipelagos]. p. [105]–122. Funchal, Angra do Heroísmo: Direcção Regional do Ambiente da Madeira and Universidade dos Açores.
- CLERC, P. 2006: Synopsis of *Usnea* (lichenized Ascomycetes) from the Azores with additional information on the species in Macaronesia. – *Lichenologist* 38: 191–212.
- COPPINS, B. J. & APTROOT, A. 2008: New species and combinations in The Lichens of the British Isles. – *Lichenologist* 40: 363–374.
- CRESPO, A., ARGUELLO, A., LUMBSCH, H. T., LLIMONA, X. & TØNSBERG, T. 2006: A new species of *Lepraria* (Lecanorales: Stereocaulaceae) from the Canary Islands and the typification of *Lepraria isidiata*. – *Lichenologist* 38: 213–221.
- CRITTENDEN, P. D., DAVID, J.C., HAWKSWORTH, D. L. & CAMPBELL, F. S. 1995: Attempted isolation and success in the culturing of a broad spectrum of lichen-forming and lichenicolous fungi. – *New Phytologist* 130: 267–297.
- DIVAKAR, P. K., AMO DE PAZ, G., DEL PRADO, R., ESSLINGER, T. L. & CRESPO, A. 2007: Upper cortex anatomy corroborates phylogenetic hypothesis in species of *Physconia* (Ascomycota, Lecanoromycetes). – *Mycol. Res.* 111: 1311–1320
- ERTZ, D., CHRISTNACH, C., WEDIN, M. & DIEDERICH, P. 2005: A world monograph of the genus *Plectocarpon* (Roccellaceae, Arthoniales). – *Biblioth. Lichenol.* 91: 1–155.

- ESSLINGER, T. L. 2007: A synopsis of the North American species of *Anaptychia* (Physciaceae). – *Bryologist* 110: 788–797.
- ETAYO, J. & BOOM, P. v. d. 2005: Contribution to the lichen flora of the Canary Islands. VIII. Some lichenicolous fungi. – *Nova Hedwigia* 81: 157–162.
- ETAYO, J. & CALATAYUD, V. 2005: *Taeniolella diderichiana*, a new lichenicolous hyphomycete on *Placopsis*. – *Lichenologist* 37: 303–305.
- FEUERER, T. (ed.), 2008: Checklists of lichens and lichenicolous fungi. Version 1 September 2008. - <http://www.checklists.de>
- FLORES RODRIGUES, A. F. & APTROOT, A. 2005: Adições e correcções à lista de espécies da flora liquenológica do Arquipélago dos Açores [New data and corrections to the list of lichens and lichenicolous fungi from the Azores]. – In: BORGES, P. A. V., CUNHA, R., GABRIEL, R., MARTINS, A. F., SILVA, L. & VIEIRA, V., Listagem da Fauna (Mollusca e Arthropoda) e Flora (Bryophyta, Pteridophyta e Spermatophyta) Terrestres dos Açores [A List of Terrestrial Fauna (Mollusca and Arthropoda) and Flora (Bryophyta, Pteridophyta and Spermatophyta) from the Azores]. p. 231–247. Horta, Angra do Heroísmo and Ponta Delgada: Direcção Regional do Ambiente and Universidade dos Açores.
- GABRIEL, R. 2008: Base de dados da biodiversidade dos Açores. Líquenes. – Universidade dos Açores. <http://www.azoresbioportal.angra.uac.pt/pesquisa.php?lang=pt&sstr=1> (visited 7 vii 2008)
- GABRIEL, R. & BATES, J. W. 2005: Bryophyte community composition and habitat specificity in the natural forests of Terceira, Azores. – *Plant Ecology* 177: 125–144.
- HAFELLNER, J. 1995: A new checklist of lichens and lichenicolous fungi of insular Laurimacaronesia including a lichenological bibliography for the area. – *Fritschiana* 5: 1–132.
- HAFELLNER, J. 1999: Additions and corrections to the new checklist and bibliography of lichens and lichenicolous fungi of insular Laurimacaronesia. I. – *Fritschiana* 17: 1–26.
- HAFELLNER, J. 2002: Additions and corrections to the new checklist and bibliography of lichens and lichenicolous fungi of insular Laurimacaronesia. II. – *Fritschiana* 36: 1–10.
- HAFELLNER, J. 2005: Additions and corrections to the new checklist and bibliography of lichens and lichenicolous fungi of insular Laurimacaronesia. III. – *Fritschiana* 50: 1–14.
- HAFELLNER, J. 2006: Lecideoid lecanoralean ascomycetes invading *Rhizocarpon* subgen. *Rhizocarpon* taxa, with special emphasis on cryptothalline species. – *Fritschiana* 52: 31–48.
- HAFELLNER, J. 2007a: The lichenicolous fungi inhabiting *Tephromela* species. – In: FRISCH, A., LANGE, U. & STAIGER, B. (eds), *Lichenologische Nebenstunden – Contributions to lichen taxonomy and ecology in honour of Klaus Kalb*. – *Biblioth. Lichenol.* 96: 103–128.
- HAFELLNER, J. 2007b: Lichenicolous Biota (Nos 1–20). – *Fritschiana* 60: 35–49.
- HAFELLNER, J. & JOHN, V. 2006: Über Funde lichenicoler nicht-lichenisierter Pilze in der Türkei, mit einer Synopsis der bisher im Land nachgewiesenen Taxa. – *Herzogia* 19: 155–176.
- HAFELLNER, J., HERZOG, G. & MAYRHOFER, H. 2008: Zur Diversität von lichenisierten und lichenicolen Pilzen in den Ennstaler Alpen (Österreich: Steiermark, Oberösterreich). – *Mitt. Naturwiss. Vereines Steiermark* 137: 131–204.
- HAWKSWORTH, D. L. & DIEDERICH, P. 1988: A synopsis of the genus *Polycoccum* (Dothideales), with a key to accepted species. – *Trans. Brit. Mycol. Soc.* 90: 293–312.

- HAWKSWORTH, D. L., BLANCO, O., DIVAKAR, P. K., AHTI, T. & CRESPO, A. 2008: A first checklist of parmelioid and similar lichens in Europe and some adjacent territories, adopting revised generic circumscriptions and with indications of species distributions. – *Lichenologist* 40: 1–21.
- HERNÁNDEZ PADRÓN, C. E. 2001: Lichenes y lichenicolous fungi. – In: IZQUIERDO, I., MARTÍN, J. L., ZURITA, N. & ARECHAVALA, M. (eds.), *Lista de especies silvestres de Canarias (hongos, plantas y animales terrestres) 2001*. p. 63–87. La Laguna: Consejería de Política Territorial y Medio Ambiente Gobierno de Canarias.
- HERNÁNDEZ PADRÓN, C. E. 2004: Lichenes, lichenicolous fungi. – In: IZQUIERDO, I., MARTÍN, J. L., ZURITA, N. & ARECHAVALA, M. (eds.), *Lista de especies silvestres de Canarias (hongos, plantas y animales terrestres) 2004*. p. 58–84. La Laguna: Gobierno de Canarias, Consejería de Medio Ambiente y Ordenación Territorial.
- HERNÁNDEZ PADRÓN, C. E., SICILIA MARTÍN, D., PÉREZ VARGAS, I., PÉREZ DE PAZ, P. L. & ETAYO SALAZAR, J. 2004: Líquenes y hongos liquenícolas. – In: BELTRÁN TEJERA, E. (ed.), *Hongos, líquenes y briófitos del Parque Nacional de la Caldera de Taburiente*, p. 233–350. Madrid: Organismo Autónomo de Parques Nacionales. Ministerio de Medio Ambiente.
- HERRERA-CAMPOS, M. A., NASH, T. H. III & ZAMBRANO GARCIA, A. 2001: Preliminary study of the *Usnea fragilesceus* aggregate in Mexico. – *Bryologist* 104: 235–259.
- HERTEL, H. & LEUCKERT, C. 2008: *Lecidea atrobrunnea* in Europe and adjacent parts of Asia and Africa. – In: *Facetten der Flechtenforschung. Festschrift zu Ehren von Volkmar Wirth*. *Sauteria* 15: 215–238.
- JØRGENSEN, P. M. 2005: A new Atlantic species in *Fuscopannaria*, with a key to its European species. – *Lichenologist* 37: 221–225.
- JØRGENSEN, P. M. 2008: *Vahliella*, a new lichen genus. – *Lichenologist* 40: 221–225.
- KALB, K. 2001: New or otherwise interesting lichens. I. – In: MCCARTHY, P. M., KANTVILAS, G. & LOUWHOFF, S. H. J. J. (eds.), *Lichenological contributions in honour of Jack Elix*. – *Biblioth. Lichenol.* 78: 141–167.
- KASCHIK, M. 2006: Taxonomic studies on saxicolous species of the genus *Rinodina* (lichenized Ascomycetes, Physciaceae) in the Southern Hemisphere with emphasis in Australia and New Zealand. – *Biblioth. Lichenol.* 93: 1–162.
- KONDRATYUK, S. Y., KÄRNEFELT, I., ELIX, J. A. & THELL, A. 2008: A new circumscription of the genus *Xanthodactylon* (Teloschistaceae, lichenized ascomycetes). – In: *Facetten der Flechtenforschung. Festschrift zu Ehren von Volkmar Wirth*. *Sauteria* 15: 265–282.
- KUKWA, M. 2006: The genus *Lepraria* in Poland. – *Lichenologist* 38: 293–305.
- KUKWA, M. 2008: The lichen genus *Ochrolechia* in Poland II. Sorediate taxa with variolaric acid. – *Herzogia* 21: 5–24.
- LINDSAY, W. L. 1861: Memoir on the spermogones and pycnides of filamentous, fruticulose, and foliaceous lichens. – *Trans. Roy. Soc. Edinburgh* 22: 101–303.
- LLOP, E., EKMAN, S. & HLADUN, N. L. 2007: *Bacidia thyrrhenica* (Ramalinaceae, lichenized Ascomycota), a new species from the Mediterranean region, and a comparison of European members of the *Bacidia rubella* group. – *Nova Hedwigia* 85: 445–455.
- MASSON, D. 2005: Taxinomie [sic!], écologie et chorologie des espèces françaises des genres *Hypotrachyna* et *Parmelinopsis* (Ascomycota lichénisés, Parmeliaceae). – *Cryptogamie, Mycol.* 26: 205–263.
- NYLANDER, W. 1870: *Recognitio monographica Ramalinarum*. – *Bull. Soc. Linn. Normandie*, sér. 2, 4: 101–181.
- OBERMAYER, W. 2007a: *Lichenotheca Graecensis*, Fasc. 16 (Nos 301–320). – *Fritschiana (Graz)* 60: 1–6.

- OBERMAYER, W. 2007b: *Dupla Graecensia Lichenum* (2007, nos 481–580). – *Fritschiana* (Graz) 60: 7–34.
- OBERMAYER, W. & MAYRHOFER, H. 2007: Hunting for *Cetrelia chicitae* (lichenized Ascomycetes) in the Eastern European Alps (including an attempt for a morphological characterization of all taxa of the genus *Cetrelia* in Central Europe). – *Phyton* (Austria) 47: 231–290.
- PÉREZ-VARGAS, I., HERNÁNDEZ-PADRÓN C. & ELIX, J. A. 2007: A new species of *Xanthoparmelia* (Ascomycota: Parmeliaceae) from the Canary Islands. – *Lichenologist* 39: 445–449.
- PIŠŮT, I. 2004: A few lichens from Madeira. – *Acta Rer. Nat. Mus. Natl. Slov.* 50: 14–17.
- PRINTZEN, C., & OTTE, V. 2005: *Biatora longispora*, new to Europe, and a revised key to European and Macaronesian *Biatora*-species. – *Graphis Scripta* 17: 56–61.
- PURVIS, O. W. & JAMES, P. W., SMITH, C. W. & DIAS, E. 1998: Studies in the Lichens of the Azores. Part 5. A comparison between the lichen floras associated with *Juniperus brevifolia* in relict woodland in selected sites on Terceira and Flores. – *Bol. Mus. Municipal Funchal* (Hist. Nat.), Supl. 5: 333–348.
- RICO, V. J., CALATAYUD, V. & GIRALT, M. 2006: The lichen genus *Dimelaena* (Physciaceae, Lecanorales) in the Iberian Peninsula. – *Cryptogamie, Mycol.* 27: 149–166.
- RODRIGUES, A. F., APTROOT, A., FREITAS, M. C., SOUSA, E., RODRIGUES, C., AMARAL, A. S., VIEIRA, B. & SOARES, P. 2004: Additions to the lichen flora found on *Cryptomeria japonica* D. Don in the Azores. – *Arquipélago. Life and Marine Sciences* 21A: 73–74.
- ROUX, C. & TRIEBEL, D. 2005: L'hamathécium de *Stigmidium squamariae*, ascomycète lichénicole non lichénisé. Conséquences systématiques. – *Mycotaxon* 91: 133–136.
- SANCHEZ-PINTO, L. & RODRIGUEZ, S. 2005: Lichenes. – In: ARECHAULETA, M., ZURITA, N., MARRERO, M. C. & MARTIN, J. L. (eds.), *Lista preliminar de especies silvestres de Cabo Verde. Hongos, plantas y animales terrestres 2005*. p. 27–33. La Laguna, Santa Cruz de Tenerife: Gobierno de Canarias, Consejería de Medio Ambiente y Ordenación Territorial.
- SANTESSON, R. 2008: *Fungi lichenicoli exsiccati*. Fascicles 15 & 16 (Nos 351–400). [Corrections. Index.] – *Thunbergia* 36: 1–28.
- SCHULTZ, M. 2007: On the identity of *Anema dodgei*, *Psorotichia segregata* and *Psorotichia squamulosa*, three misunderstood cyanolichens from the southwestern United States. – *Bryologist* 110: 286–294.
- SCHULTZ, M. & BOOM, P. P. G. v. d. 2007: Notes on cyanobacterial lichens (mostly Lichinales, Ascomycota) of the Canary Islands. – *Nova Hedwigia* 84: 113–133.
- SCHUMM, F. 2008: *Flechten Madeiras, der Kanaren und Azoren*. – Wangen: by the author. 294 pp.
- SÉRUSIAUX, E. & COPPINS, B. J. 2008: *Pyrenula acutispora* in Western Europe, Macaronesia and British Columbia (Canada). – In: *Facetten der Flechtenforschung. Festschrift zu Ehren von Volkmar Wirth*. *Sauteria* 15: 521–528, Annex V–VI.
- SÉRUSIAUX, E. & DIEDERICH, P. 2005: *Lambinonia*, a new genus for *Melanconium strigulae*, a lichenicolous hyphomycete on foliicolous species of *Strigula*. – *Lichenologist* 37: 499–506.
- SÉRUSIAUX, E., BERGER, F., BRAND, M. & BOOM, P. v. d. 2007a: The lichen genus *Porina* in Macaronesia, with descriptions of two new species. – *Lichenologist* 39: 15–33.

- SÉRUSIAUX, E., COPPINS, B. J. & LÜCKING, R. 2007b: *Phylloblastia inexpectata* (Verrucariaceae), a new species of foliicolous lichen from Western Europe and Madeira. – *Lichenologist* 39: 103–108.
- SLEZÁKOVÁ, V. & PIŠŮT, I. 2004: Type specimens of lichens and lichenicolous fungi in the Slovak National Museum – Natural History Museum, Bratislava (BRA), Slovakia. – *Annot. Zool. Bot.* 226: 3–56.
- SØCHTING, U. & FIGUERAS, G. 2007: *Caloplaca lenae* sp. nov., and other *Caloplaca* species with caloploicin and vicanicin. – *Lichenologist* 39: 7–14.
- SPARRIUS, L. B. 2004: A monograph of *Enterographa* and *Sclerophyton*. – *Biblioth. Lichenol.* 89: 1–141.
- SPARRIUS, L. B., JAMES, P. W. & ALLEN, M. A. 2005: The sorediate variety of *Sclerophytomyces circumscriptus*. – *Lichenologist* 37: 285–289.
- SUIJA, A. 2006: Variation of morphological characters in the lichenicolous ascomycete genus *Abrothallus*. – *Ann. Bot. Fennici* 43: 193–204.
- TEHLER, A. & IRESTEDT, M. 2007: Parallel evolution of lichen growth forms in the family Roccellaceae (Arthoniales, Ascomycota). – *Cladistics* 23: 432–454.
- TITOV, A. N. 2006: Mikocalitsievye griby (poryadok Mycocaliciales) golarktiki. [Mycocalicioid fungi (the order Mycocaliciales) of Holarctic]. – Moskva: Tovarishestvo Nauchnykh Izdaniy KMK.
- VIEIRA, B. J., FREITAS, M. C., RODRIGUES, A. F., PACHECO, A. M. G., SOARES, P. M. & CORREIA, N. 2004: Element-enrichment factors in lichens from Terceira, Santa Maria and Madeira Islands (Azores and Madeira Archipelagoes). – *J. Atmospheric Chemistry* 49: 231–249.
- VONDRÁK, J., ŘÍHA, P., ARUP, U. & SØCHTING, U. 2008: The taxonomy of the *Caloplaca citrina* group (Teloschistaceae) in the Black Sea region; with contributions to the cryptic species problems in lichenology. – In: VONDRÁK, J., The lichen genus *Caloplaca* (Teloschistales) and its lichenicolous fungi: Contributions to their taxonomy, nomenclature and biodiversity, p. 8–27.– University of South Bohemia, Faculty of Science, Ceske Budejovice, Czech Republic. PhD Thesis.
- WEDIN, M., JØRGENSEN, P. M. & WIKLUND, E. 2007: Massalongiaceae fam. nov., an overlooked monophyletic group among the cyanobacterial lichens (Peltigerales, Lecanoromycetes, Ascomycota). – *Lichenologist* 39: 61–67.

Bisher erschienen - hitherto published

(for contents of Fritschiana 1–55: see earlier issues of Fritschiana; a complete table of contents is available under <http://www.uni-graz.at/botwww/journals/fritschiana/fritschiana.html>)

- VONDRAK J. 2007: Selected exsiccates of *Caloplaca*. – Fritschiana (Graz) 56: 1–10.
- DRESCHER A. & GIGERL P. 2007: Samentauschverzeichnis 2007. – Fritschiana (Graz) 57: 1–45.
- SCHEUER C. 2007: Dupla Graecensia Fungorum (2007, Nos 41–100). – Fritschiana (Graz) 58: 1–25.
- SCHEUER C. 2007: Schedae emendatae for fungal collections published and distributed in Dupla Graecensia Fungorum and Reliquiae Petrakianae. – Fritschiana (Graz) 58: 26–27.
- BRAUN U. & SCHEUER C. 2007: *Colletogloeum veratri-albi* – a new acervular coelomycete on *Veratrum album*. – Fritschiana (Graz) 58: 28–34.
- ZWETKO P. 2007: Notes on two collections of *Puccinia caricina* s.l. on *Carex hordeistichos* from Austria. – Fritschiana (Graz) 58: 35–38.
- HAFELLNER J. 2007: Checklist and bibliography of lichenized and lichenicolous fungi so far reported from Albania (version 05-2007). – Fritschiana (Graz) 59: 1–18.
- OBERMAYER W. 2007: Lichenotheca Graecensis, Fasc. 16 (Nos 301–320). – Fritschiana (Graz) 60: 1–6.
- OBERMAYER W. 2007: Dupla Graecensia Lichenum (2007, nos 481–580). – Fritschiana (Graz) 60: 7–34.
- HAFELLNER J. 2007: Lichenicolous Biota (Nos 1–20). – Fritschiana (Graz) 60: 35–49.
- HAFELLNER J. 2008: Lichenicolous Biota (Nos 21–60). – Fritschiana (Graz) 61: 1–28.
- BILOVITZ P.O., DRAGIĆEVIĆ S., KNEŽEVIĆ B., STEŠEVIĆ D., VITIKAINEN O. & MAYRHOFER H. 2008: New or otherwise interesting lichenized and lichenicolous fungi from Montenegro. – Fritschiana (Graz) 62: 1–44.
- SCHEUER C. 2008: Mycotheca Graecensis, Fasc. 22 (Nos 421–440). – Fritschiana (Graz) 63: 1–9.
- BRAUN U. & SCHEUER C. 2008: *Ramularia gratiolae* sp. nov. (Hyphomycetes). – Fritschiana (Graz) 63: 11–13.

ISSN 1024-0306